

Bid Document Submission Checklist

Township of Long Beach

Purchase and Delivery of Police Uniforms and Equipment

Required with Submission of Bid: Owner's Checkmarks: X		Initial Each Item Submitted with Bid (Bidder's Initials)
X	Authorized Business Agent	
X	NJ State Business Registration Certificate	
X	Statement of Corporate Ownership/Certification, Pursuant to NJSA 52:25-24.2	
X	Disclosure of Investment Activities in Iran	
X	If applicable, Bidder's acknowledgement of Receipt of any Notice(s) or Revision(s) or Addenda to an advertisement, specifications or bid document(s)	
X	Submission of Non-Collusion Affidavit (THIS FORM MUST BE NOTARIZED)	
X	Acknowledgement of Affirmative Action	
X	Affirmative Action Mandatory Language	
X	Americans With Disabilities Act	
X	Indemnification Form	
X	Additional Terms (MUST BE EXECUTED)	
X	W-9 (upon award)	

Signature: The undersigned hereby acknowledges review and submission of the above-listed requirements.

Name of Bidder: _____

Signature of Authorized Agent: _____

Name and Title: _____

Date: _____ Contact phone#: _____

Email: _____

NOTICE TO ALL BIDDERS

PUBLIC NOTICE IS HEREBY GIVEN that sealed bids will be received by the Board of Commissioners of the Township of Long Beach, County of Ocean, State of New Jersey for the following in the Municipal Finance Office, 6805 Long Beach Blvd., Brant Beach, NJ:

- Purchase and Delivery for Police Uniforms and Equipment – Contract Term April 1, 2021, through December 31, 2022

until **March 18, 2021 at 10:00 A.M.** at which time and place they will be publicly opened and read aloud. No facsimile copies of the bids will be accepted. Specifications and other bid information may be obtained at the Municipal Finance Office of the Township of Long Beach, 6805 Long Beach Blvd., Brant Beach, NJ 08008 (609-361-6635) during regular business hours: 9:00 a.m. to 4:00 p.m. and on the municipal website: www.longbeachtownship.com. Mailing of bid documents will be made at the bidders' cost.

All bid Addenda will be issued on the website. Therefore, all interested respondents should check the above website now through the bid opening. It is the sole responsibility of the respondent to be knowledgeable of all addenda related to this procurement.

Bidders are required to comply with the requirements N.J.S.A. 10:5-31 et seq. and N.J.A.C. 17:27-1 et seq.

Bidders are required to comply with the requirements P.L. 1977, c.33; and P.L. 1999, c.238 "The Public Works Registration Act" if applicable.

The Minimum Wage rates, if applicable, for labor employed on these contracts shall be as specified in the "The New Jersey Prevailing Wage Rate Determination", of the New Jersey Department of Labor and Industry.

The Township of Long Beach hereby reserves the right to consider the bids for sixty (60) days after the receipt thereof. The Township further reserves the right, which is understood and agreed to by all bidders, to award the contract award to the lowest responsible bidder based on the lowest Total Bid Amount and to make such awards or take such action as may be in the best interest of the Township. Multiple awards may be made.

Katlyn Kerlin, QPA

STATEMENT OF OWNERSHIP

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33)

DISCLOSURE CERTIFICATION

This Statement Shall Be Included with Bid Submission

No corporation, partnership, limited partnership, limited liability corporation, limited liability partnership, Subchapter S corporation or sole proprietorship shall be awarded a contract for the performance of any work or the furnishing of any materials or supplies, unless, prior to the receipt of the bid or accompanying the bid of said corporation, partnership, limited partnership, limited liability corporation, limited liability partnership, Subchapter S corporation or sole proprietorship, there is submitted a statement setting forth the names and addresses of all stockholders who own ten (10) percent or more of the stock of any class, or of all individual partners who own a ten (10) percent or greater interest therein. If one or more such stockholder is itself a corporation or partnership, the stockholders holding 10% or more of that corporation's stock, or the individual partners owning 10% or greater interest in that partnership, as the case may be, shall also be listed. The disclosure shall be continued until names and addresses of every non-corporate stockholder and individual partner, exceeding the 10% ownership criteria established in this act has been listed. This form shall be signed and submitted with the bid whether or not a stockholder or partner owns less than 10% of the business submitting the bid.

The Attorney General has concluded that the provisions of N.J.S.A. 52:25-24.2, in referring to corporations and partnerships, are intended to apply to all forms of corporations and partnerships, including, but not limited to, limited partnerships, limited liability corporations, limited liability partnerships, and Subchapter S corporations.

Bidders are required to disclose whether they are a partnership, corporation or sole proprietorship. The Stockholder Disclosure Certification form shall be completed, signed and notarized. Failure of the bidder to submit the required information is cause for automatic rejection of the bid.

STATEMENT OF OWNERSHIP DISCLOSURE

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33, as amended by P.L. 2016, c.43)

This statement shall be completed, certified to, and included with all bid and proposal submissions.
Failure to submit the required information is cause for automatic rejection of the bid or proposal.

Name of Organization:

Organization Address:

Part I Check the box that represents the type of business organization:

- Sole Proprietorship (skip Parts II and III, execute certification in Part IV)
- Non-Profit Corporation (skip Parts II and III, execute certification in Part IV)
- For-Profit Corporation (any type) Limited Liability Company (LLC)
- Partnership Limited Partnership Limited Liability Partnership (LLP)
- Other (be specific): _____

Part II

- The list below contains the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be. **(COMPLETE THE LIST BELOW IN THIS SECTION)**

OR

- No one stockholder in the corporation owns 10 percent or more of its stock, of any class, or no individual partner in the partnership owns a 10 percent or greater interest therein, or no member in the limited liability company owns a 10 percent or greater interest therein, as the case may be. **(SKIP TO PART IV)**

(Please attach additional sheets if more space is needed):

Name of Individual or Business Entity	Home Address (for Individuals) or Business Address

Part III DISCLOSURE OF 10% OR GREATER OWNERSHIP IN THE STOCKHOLDERS, PARTNERS OR LLC MEMBERS LISTED IN PART II

If a bidder has a direct or indirect parent entity which is publicly traded, and any person holds a 10 percent or greater beneficial interest in the publicly traded parent entity as of the last annual federal Security and Exchange Commission (SEC) or foreign equivalent filing, ownership disclosure can be met by providing links to the website(s) containing the last annual filing(s) with the federal Securities and Exchange Commission (or foreign equivalent) that contain the name and address of each person holding a 10% or greater beneficial interest in the publicly traded parent entity, along with the relevant page numbers of the filing(s) that contain the information on each such person. **Attach additional sheets if more space is needed.**

Website (URL) containing the last annual SEC (or foreign equivalent) filing	Page #'s

Please list the names and addresses of each stockholder, partner or member owning a 10 percent or greater interest in any corresponding corporation, partnership and/or limited liability company (LLC) listed in Part II **other than for any publicly traded parent entities referenced above.** The disclosure shall be continued until names and addresses of every noncorporate stockholder, and individual partner, and member exceeding the 10 percent ownership criteria established pursuant to N.J.S.A. 52:25-24.2 has been listed. **Attach additional sheets if more space is needed.**

Stockholder/Partner/Member and Corresponding Entity Listed in Part II	Home Address (for Individuals) or Business Address

Part IV Certification

I, being duly sworn upon my oath, hereby represent that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I acknowledge: that I am authorized to execute this certification on behalf of the bidder/proposer; that the Township of Long Beach (Township) is relying on the information contained herein and that I am under a continuing obligation from the date of this certification through the completion of any contracts with the Township to notify the Township in writing of any changes to the information contained herein; that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I am subject to criminal prosecution under the law and that it will constitute a material breach of my agreement(s) with the, permitting the Township to declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print):		Title:	
Signature:		Date:	

ACKNOWLEDGMENT OF RECEIPT OF NOTICES, REVISIONS OR ADDENDA

Pursuant to Local Public Contracts Law 40A:11-23 the contractor/bidder shall acknowledge by signature the following:

ADDENDUM #1 dated _____

ADDENDUM #2 dated _____

ADDENDUM #3 dated _____

Bidder's Signature _____

Bidder's Printed Name: _____

Company Name: _____

NON-COLLUSION AFFIDAVIT

State of _____)

County of _____)

I, (Name) _____, of the municipality of _____ in the county of _____ in the State of _____, of full age, being duly sworn according to law on my oath depose and say I am (Title) _____ of the firm of (Name of Firm) _____, the bidder making the Proposal for the above-named project, and that I exercise the said Proposal with full authority so to do; that said bidder has not, directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free, competitive bidding in connection with the above named project, and that all statements contained in said Proposal and in this affidavit are true and correct, and made with full knowledge that the Township of Long Beach relies upon the truth of the statements contained in said Proposal and in the statements contained in this affidavit in awarding the contract for the said project. I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees or bona fide established commercial or selling agencies maintained by _____ . (N.J.S.A. 52:34-15)

(Name of Contractor)

Name: _____

Title _____

Signature

Name: _____

Printed

Subscribed and sworn to before me

this _____ day of _____, 20____

Notary: _____

My commission expires: _____

DISCLOSURE OF INVESTMENT ACTIVITIES IN IRAN

Project: _____

Proposer/Bidder Name: _____

Pursuant to Public Law 2012, c. 25, any person or entity that submits a bid or proposal or otherwise proposes to enter into or renew a contract must complete the certification below to attest, under penalty of perjury, that the person or entity, or one of the person or entity's parents, subsidiaries, or affiliates, is not identified on a list created and maintained by the New Jersey Department of the Treasury as a person or entity engaging in investment activities in Iran. If the Director finds a person or entity to be in violation of the principles which are the subject of this law, she/he shall take action as may be appropriate and provided by law, rule or contract, including but not limited to: imposing sanctions, seeking compliance, recovering damages, declaring the party in default and seeking debarment or suspension of the person or entity.

I certify, pursuant to Public Law 2012, c. 25, that the person or entity listed above for which I am authorized to submit a proposal:

_____ **is not** providing goods or services of \$20,000,000 or more in the energy sector of Iran, including a person or entity that provides oil or liquefied natural gas tankers, or products used to construct or maintain pipelines used to transport oil or liquefied natural gas, for the energy sector of Iran.

And

_____ **is not** a financial institution that extends \$20,000,000 or more in credit to another person or entity, for 45 days or more, if that person or entity will use the credit to provide goods or services in the energy sector in Iran.

In the event that a person or entity is unable to make the above certification because it, or one of its parents, subsidiaries, or affiliates has engaged in the above-referenced activities, a detailed, accurate and precise description of the activities must be provided in Part 2 below to the New Jersey Turnpike authority under penalty of perjury. Failure to provide such will result in the proposal being rendered as non-responsive and appropriate penalties, fines and/or sanctions will be assessed as provided by law.

PART 2: PLEASE PROVIDE FURTHER INFORMATION RELATED TO INVESTMENT ACTIVITIES IN IRAN

You must provide a detailed, accurate and precise description of the activities of the proposer/bidder, or one of its parents, subsidiaries or affiliates, engaging in the investment activities in Iran outlined above by completing the information below.

Name: _____ Relationship to Proposer: _____

Description of Activities: _____

Duration of Engagement: _____ Anticipated Cessation Date: _____

Proposer Contact Name: _____ Contact Phone Number: _____

Certification: I, being duly sworn upon my oath, hereby represent and state that the foregoing information and any attachments thereto, to the best of my knowledge, are true and complete. I attest that I am authorized to execute this certification on behalf of the above-referenced person or entity. I acknowledge that Township of Long Beach is relying on the information contained herein and thereby acknowledge that I am under a continuing obligation from the date of this certification through the completion of any contracts with Township to notify Township in writing of any changes to the answers of information contained herein. I acknowledge that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I recognize that I am subject to criminal prosecution under the law and that it will also constitute a material breach of my agreement(s) with Township of Long Beach and that Township, at its option, may declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print):

Signature: _____

Title: _____

Date: _____



State of New Jersey

PHILIP D. MURPHY
Governor

DEPARTMENT OF THE TREASURY
DIVISION OF PURCHASE AND PROPERTY
OFFICE OF THE DIRECTOR 33 WEST STATE STREET
P. O. BOX 039
TRENTON, NEW JERSEY 08625-0039

ELIZABETH MAHER MUOIO
State Treasurer

SHEILA Y. OLIVER
Lt. Governor

MAURICE A. GRIFFIN
Acting Director

<https://www.njstart.gov>

Telephone (609) 292-4886 / Facsimile (609) 984-2575

The following list represents entities determined, based on credible information available to the public, to be engaged in prohibited activities in Iran pursuant to P.L. 2012, c. 25 (“Chapter 25”):

1.	AK Makina Ltd.	18.	Kingdream PLC
2.	Amona	19.	Naftiran Intertrade Company (NICO)
3.	Bank Markazi Iran (Central Bank of Iran)	20.	National Iranian Tanker Company (NITC)
4.	Bank Mellat	21.	Oil and Natural Gas Corporation (ONGC)
5.	Bank Melli Iran	22.	Oil India Limited
6.	Bank Saderat PLC	23.	Persia International Bank
7.	Bank Sepah	24.	Petroleos de Venezuela (PDVSA Petr6leo, SA)
8.	Bank Tejarat	25.	PetroChina Company, Ltd.
9.	China International United Petroleum & Chemicals Co., Ltd. (Unipecc)	26.	Sameh Afzar Tajak Co. (SATCO)
10.	China National Offshore Oil Corporation (CNOOC)	27.	Shandong Fin Cnc Machine Company, Ltd.
11.	China National Petroleum Corporation (CNPC)	28.	Sinohydro Co., Ltd.
12.	China National United Oil Corporation (ChinaOil)	29.	SK Energy Co. Ltd.
13.	China Oilfield Services Limited	30.	SKS Ventures
14.	China Petroleum & Chemical Corporation (Sinopec)	31.	Som Petrol AS
15.	China Precision Machinery Import-Export Corp. (CPMIEC)	32.	Zhuhai Zhenrong Company
16.	Daelim Industrial Co.		
17.	Indian Oil Corporation		

List Date: January 15, 2020

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE

N.J.S.A. 10:5-31 et seq. (P.L. 1975, c.127)

N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law. Except with respect to affectional or sexual orientation, gender identity or expression, atypical hereditary cellular or blood trait, genetic information or liability for military service, the contractor will take affirmative action to ensure that such applicants are recruited and employed, and that employees are treated during employment without regard to their age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law. Such action shall include, but not be limited to the following: employment, upgrading, demotion or transfer, recruitment, or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting for the provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable, will in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law.

The contractor or subcontractor, where applicable, will send to each labor union or representative or workers with which it has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer advising the labor union or workers' representative of the contractor's commitments under this Act and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to employ minority and women workers consistent with the applicable county employment goals established in accordance with N.J.A.C. 17:27-5.2 or a binding determination of the applicable county employment goals determined by the Division, pursuant to N.J.A.C. 17:27-5.2.

The contractor or subcontractor agrees to inform in writing appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, labor unions, that it does not discriminate on the basis of to age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law, and that it will discontinue to use any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees as may be applicable to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing as established by the Statutes and Court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal Court decisions.

In conforming with applicable employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading, and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law, consistent with the statues and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of goods and services contract, one of the following three documents:

- Letter of Federal Affirmative Action Plan Approval
- Certificate of Employee Information Report
- Employee Information Report Form AA302

The contractor and its subcontractors shall furnish such reports or other documents to the Div. of Contract Compliance & EEO/AA as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Div. of Contract Compliance & EEO/AA for conducting a compliance investigation pursuant to Subchapter 10 of the Administrative Code at N.J.A.C. 17:27.

Company: _____ Date: _____

Signature: _____

Title: _____

NOTICE TO CONTRACTORS

RE: AFFIRMATIVE ACTION REGULATIONS

P.L. 1975, c. 127

PROCUREMENT AND SERVICE CONTRACTORS:

Bidders are required to comply with the requirements of P.L. 1975, c. 127.

A. ALL CONTRACTORS

1. Within seven (7) days after receipt of the notification of intent to Award the contract, or receipt of the contract, whichever is sooner, a procurement contractor should present one of the following to the Municipality:

- An existing Federally approved or sanctioned Affirmative Action Program.
- A Certificate of Employee Information Report Approval.
- If the contractor cannot present either of the above-listed items, the contractor is required to submit a completed Employee's Information Report (Form AA302). This form will be made available to contractors by the Municipality.

The following questions must be answered by all prospective contractors:

1. Do you have a Federally approved or sanctioned Affirmative Action Program?

Yes _____

No _____

If "yes", please submit a photostatic copy of such approval.

2. Do you have a State Certificate of Employee Information Report approval?

Yes _____

No _____

If "yes", please submit a photo static copy of such approval.

The undersigned contractor certifies that he/she is aware of the commitment to comply with the requirement of P.L. 1975, c. 127, and agrees to furnish the required documentation pursuant to the Law.

Company: _____

Address: _____

Signature: _____

Title: _____

Phone: _____

AMERICANS WITH DISABILITIES ACT OF 1990
Equal Opportunity for Individuals with Disability

The contractor and the Township of Long Beach, (hereafter "owner"), do hereby agree that the provisions of Title 11 of the Americans With Disabilities Act of 1990 (the "Act") (42 U.S.C. 5121 01 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs, and activities provided or made available by public entities, and the rules and regulations promulgated pursuant there unto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the owner pursuant to this contract, the contractor agrees that the performance shall be in strict compliance with the Act. In the event that the contractor, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the contractor shall defend the owner in any action or administrative proceeding commenced pursuant to this Act. The contractor shall indemnify, protect, and save harmless the owner, its agents, servants, and employees from and against any and all suits, claims, losses, demands, or damages, of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The contractor shall, at its own expense, appear, defend, and pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the owner's grievance procedure, the contractor agrees to abide by any decision of the owner which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the owner, or if the owner incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the contractor shall satisfy and discharge the same at its own expense.

The owner shall, as soon as practicable after a claim has been made against it, give written notice thereof to the contractor along with full and complete particulars of the claim, If any action or administrative proceeding is brought against the owner or any of its agents, servants, and employees, the *owner shall* expeditiously forward or have forwarded to the contractor every demand, complaint, notice, summons, pleading, or other process received by the owner or its representatives.

It is expressly agreed and understood that any approval by the owner of the services provided by the contractor pursuant to this contract will not relieve the contractor of the obligation to comply with the Act and to defend, indemnify, protect, and save harmless the owner pursuant to this paragraph.

It is further agreed and understood that the owner assumes no obligation to indemnify or save harmless the contractor, its agents, servants, employees, and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the contractor expressly understands and agrees that the provisions of this indemnification clause shall in no way limit the contractor's obligations assumed in this Agreement, nor shall they be construed to relieve the contractor from any liability, nor preclude the owner from taking any other actions available to it under any other provisions of the Agreement or otherwise at law.

CERTIFICATE BUSINESS REGISTRATION

(P.L. 2004, c.57)

(N.J.S.A. 52:32-44)

All business organizations that do business (i.e. compete for or enter into a contract) with a State, County or Local Contracting Agency are required to be registered with the State and provide proof of their registration to the contracting agency. Proof of valid business registration shall be in the form of a Business Registration Certificate issued by the Department of the Treasury, Division of Revenue. Information on how a business can obtain a certificate is located on the Internet at www.nj.gov/njbgs or by telephone at 609-292-1730. The purpose of the registration is to ensure that all businesses and their subsidiaries receiving government contracts pay appropriate sales, use, and other taxes. A contractor and its subcontractor(s) must collect and remit to the Division of Taxation the use tax pursuant to the Sales & Use Tax Act on all sales of tangible personal property delivered into this State. Notice of these requirements must be provided in bid specifications, requests for proposals and any other documents notifying potential contractors or procurement opportunities.

Business registration is required for any contract in excess of \$6,000 (15% of \$40,000) for municipalities with Qualified Purchasing Agents.

A contracting agency shall not enter into a contract with a business organization unless it has received proof of the business registration at the time of the bid or the proposal submission, in response to a request for bids or proposals. For all other transactions, the proof of business registration must be received prior to the issuance of a purchase order or other contracting document.

All public contractors submitting bids for public work must submit a copy of their proof of business registration with their bids. Bidders must also obtain and submit proof of registration from those subcontractors at all levels (tiers) if the specifications require the subcontractor to be listed or named in the bidder's submission. Proof of valid business registration must be provided by the bidders and their named subcontractors at all levels (tiers) at the time the bid or proposal is officially received and opened by the contracting agency if required by the specifications. Failure to submit proof of registration is considered a mandatory rejection of bids and is non-waivable by the contracting agency.

The contractor shall provide written notice to its subcontractor and suppliers of the responsibility to submit proof of business registration to the contractor. The requirement of proof extends down through all levels (tiers) of the project. After the award of a project, the contractor has the obligation to obtain proof of registration from each subcontractor or a supplier on the project (in addition to those listed or named in the bid submission) and file proof of their business registration with the contracting agency prior to receiving final payment.

If there are no subcontractors on a project, the contractor must certify to that effect.

-----Attach Certificate-----

CERTIFICATION: Authorized Business Agent

AUTHORITY TO SUBMIT BID ON BEHALF OF THE BUSINESS ORGANIZATION

I, _____, certify that I am the _____
Name Title

of the Corporation, Limited Liability Corporation, Partnership, or Sole Proprietorship and named
as Principal in the within bid, and I certify that _____, who
Name

signed the bid on behalf of the Principal was then the _____
Title

of said corporation, that I know his or her signature, and his/ her signature thereto is genuine;
and that said bid was duly signed, sealed, and attested to for and on behalf of said Business
Organization by authority of the Owner(s) / Managing Member(s).

Date

Corporate Seal

Name: _____
Signature

Name: _____
Printed

Title: _____

Business Organization Name:

Police Uniforms Specification

MEN'S CLASS A LONG SLEEVE SHIRT: Flying Cross by Fechheimer Item: 05W8410Z

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 05W84Z 10. Dress style, top center placket front with zipper, full cut tapered fit, Freedom collar, long sleeves with barrel cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and collar band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR & STAND:

Collar points to measure 3" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 3/4" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/4" off the edge. Collars stand to measure 1-5/16" at rear and band to be interlined with "Crease N Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FREEDOM COLLAR FEATURE:

Material consisting of self-goods and lining material forming the neckband and the collar must be arranged with the weave thereof on a bias so that it is stretchable in the direction parallel to the circumferential direction of the collar. This expandable collar will allow for slight variations in neck size and make it easier to button because of the stretch or yield of the material.

FRONT:


The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4" except the spacing between the neck button and the first button on the front, which will be approximately 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. A 15" nylon



zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.

SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.




BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket


**METAL EYELET
BADGE TAB**

positioned flap.




POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.



FLAPS:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a centered on uncut sewn buttonhole.




SLEEVES:

Sleeve vent shall be a minimum of 4-1/2" long with one-piece top and bottom facings. Facing to measure 1-1/8" wide point blocked at top.

CUFFS:

Two-piece 1/2-inch hemmed cuff with 1/4" topstitching. Cuffs to measure 3" in depth with rounded corners (barrel cuffs). Cuffs to have two buttons and corresponding buttonholes set vertically with one button and buttonhole in center of facing. Cuffs to have woven interlining of #250 Dacron.



BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps, straps and top center to be interlined with #250 Dacron. Collar band interlining to be Crease-N-Tack.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collar, flaps, shoulder straps, and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed 1/2" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background. Hash marks shall be applied as required for all personnel, LT. Gold with black background.

STOCK SIZES:

Shirts must be available in the following sizes:

Sleeve lengths: 32-37 inches

Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

Bid Price: _____ Equivalent Proposal: _____

MEN'S SHORT SLEEVE CLASS A SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 55R84Z 10

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 55R8410Z. Dress style, top center placket front with zipper, full cut tapered fit, convertible collar, short sleeves, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and banana band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR:

Convertible collar shall be one piece. Collar points to measure 3" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 3/4" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar topstitched 1/4" off the edge. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

Each front shall have a facing approximately 3" in width. The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. Stitching on top center not to be visible on the turn-back facing. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4" except the spacing between the neck button and the first button on the front, which will be 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.



SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.




BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket


METAL EYELET BADGE TAB

positioned flap.




POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.



FLAPS:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a centered on uncut sewn buttonhole.



SLEEVES:

Sleeves are to be straight and whole and to have a 3/4" hem and to finish at a minimum of 9 1/2" long from shoulder seam.

BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps and pocket flaps to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, pocket flaps, straps, and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed 1/2" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background.

STOCK SIZES:

Shirts must be available in the following sizes:

Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

Bid Price: _____ Equivalent Proposal: _____

MEN'S CLASS A PANTS: Flying Cross by Fechheimer Item: F1 47280 10

FABRIC: Burlington 05329-OSS

Content: 75% Polyester/25% Wool


Weight: 12 oz. per linear yard

Weave: Serge

Colors: (10) Black

STYLE:

Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.




LINING MATERIAL:


The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

FREEDOM-FLEX WAISTBAND SYSTEM:

Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a 3/4-inch wide side belt loop positioned to 'hide" the expansion split of the waistband.



The waistband curtain shall consist of two different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a 1/2" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of 1/2" wide rubberized surface area shall be cause for rejection.)



The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The 1/2" rubberized surface area is positioned 1-1/4" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch

Contents: 59% Polyester/41% Rubber


To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)

The waistband closure shall be accomplished with one crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.

BELT LOOPS:


There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all-around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

BELT LOOP



FLY:


"J" STITCH Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.



POCKETS:

The two (2) front pockets will be quarter top style with a minimum opening of 7" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bartacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on



an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button.

A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening of 2-5/8" and a minimum depth of 2-7/8". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

SEAT:


Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams are edge serge on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.



HEMMING: All trousers shall be hemmed to the officer's desired length

STOCK SIZES:

Trouser must be available from stock in the following sizes:

- SHORT RISE: 28 - 42 (EVEN ONLY)
- REGULAR RISE: 28 - 60 (EVEN ONLY OVER 38)
- LONG RISE: 32 - 48 (EVEN ONLY)

LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside

of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

Bid Price: _____ Equivalent Proposal: : _____

WOMEN'S CLASS A LONG SLEEVE SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 105W84Z 10

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:

Black

STYLE:

To be Flying Cross Model 105W8410Z. Dress style, top center placket front with zipper, full cut tapered fit, Freedom collar, long sleeves with barrel cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and collar band of high luster Poly Twill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR & STAND:

Collar points to measure 2 7/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 1/2" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied

directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched

1/4" off the edge. Collars stand to measure 1-5/16" at rear and band to be interlined with "Crease N Tack." Collar

material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FREEDOM COLLAR FEATURE:

Material consisting of self-goods and lining material forming the neckband and the collar must be arranged with the weave thereof on a bias so that it is stretchable in the direction parallel to the circumferential direction of the collar. This expandable collar will allow for slight variations in neck size and make it easier to button because of the stretch or yield of the material.


FRONT:

The right front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The shirt will have 6 buttons and buttonholes on the front; spacing between each will be 3-1/2" except the spacing between the neck button and the first button on the front, which will be 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. An 11-1/2" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the left front, the balance to be sewn over the buttonholes on the right front.



SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.




BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket

**METAL EYELET
BADGE TAB**


positioned flap.



POCKETS:

Two breast patch pockets with mitered corners and 1-1/4" stitched pleats. Pleats shall be stitched top and bottom and length of pleat to prevent spreading. Pocket to measure 5" 5" deep. Each pocket to have hook Velcro, 3/4" long by 1/2" positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all and to be sewn through pocket and shirt for added reinforcement.


FEMALE POCKET



full wide, wide, sides

FLAPS:

Two piece deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/4". (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a centered on uncut sewn buttonhole.




Flaps to
Under
all
button

SLEEVES:

Sleeve vent shall be a minimum of 4-1/2" long with one-piece top and bottom facings. Facing to measure 1-1/8" wide point blocked at top.

CUFFS:

Two-piece 1/2-inch hemmed cuff with 1/4" topstitching. Cuffs to measure 2 with rounded corners (barrel cuffs). Cuffs to be two buttons adjustable. woven interlining of #250 Dacron.



1/2" in depth
Cuffs to have

BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps, straps, and top center to be interlined with #250 Dacron. Collar band interlining to be Crease-N-Tack.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps, shoulder straps, and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed 1/2" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background. Hash marks shall be applied as required for all personnel, LT. Gold with black background.

STOCK SIZES:

Shirts must be available in the following sizes:

Bust sizes: 28-52

Long Sleeve Lengths:

28, 30	Regular = 30"	
32, 34	Regular = 30"	Long = 31"
36, 38	Regular = 31"	Long = 32"
40, 42	Regular = 32"	Long = 33"
44, 46	Regular = 33"	Long = 34"
48 & Up	Regular = 34"	Long = 35"

Bid Price: _____ Equivalent Proposal: _____

WOMEN'S CLASS A SHORT SLEEVE SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 155R84Z 10

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 155R8410Z. Dress style, top center placket front with zipper, full cut tapered fit, convertible collar, short sleeves, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and banana band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR:

Convertible collar shall be one piece. Collar points to measure 2 7/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 1/2" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar topstitched 1/4" off the edge. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

Each front shall have a facing approximately 3" in width. The right front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 6 buttons and buttonholes on the front; spacing between each will be 3-1/2" except the spacing between the neck button and the first button on the front, which will be 2-1/2". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. An 11-1/2" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the left front, the balance to be sewn over the buttonholes on the right front.



SHOULDER STRAPS:


Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.



BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket


**METAL EYELET
BADGE TAB**



positioned flap.

POCKETS:


Two breast patch pockets with mitered corners and 1-1/4" stitched pleats. Pleats shall be stitched top and bottom and length of pleat to prevent spreading. Pocket to measure 5" 5" deep. Each pocket to have hook Velcro, 3/4" long by 1/2" positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all and to be sewn through pocket and shirt for added reinforcement.



full
wide,
wide,
sides

FLAPS:

Two piece deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/4". (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a centered on uncut sewn buttonhole.



Flaps to
Under
all
button

SLEEVES:

Sleeves are to be straight and whole and to have a 3/4" hem and to finish at a minimum of 8 1/2" long from shoulder seam.

BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps and pocket flaps to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, pocket flaps, straps, and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps, and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed 1/2" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background.

STOCK SIZES:

Shirts must be available in the following sizes:
Bust sizes: 28-52

Bid Price: _____ Equivalent Proposal: _____

WOMEN'S CLASS A TROUSER SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 47280W 10

FABRIC: Raeford 05329-0SS-2851

Content: 75% Polyester/25% Wool


Weight: 12 oz. per linear yard

Weave: Serge

Color: (10) Black

STYLE:

Garment shall be manufactured from an up-to-date women's ProX pattern for comfort and easier sizing. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and be cause for rejection.




LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.


FREEDOM-FLEX WAISTBAND SYSTEM:

Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a 3/4-inch wide side belt loop positioned to 'hide' the expansion split of the waistband.



The waistband curtain shall consist of two

different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of ½" wide rubberized surface area shall be cause for rejection.)



The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch


Contents: 59% Polyester/41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)

The waistband closure shall be accomplished with one crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.


BELT LOOPS:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.



FLY:

"J" STITCH



Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.

SEAT:


Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

POCKETS:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 4-1/2" measured from the bottom of the opening. Front pockets to have firm straight bartacks at bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on

HIP POCKET WITH TAB



an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A

button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be


approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.



HEMMING: All trousers shall be hemmed for each officer

STOCK SIZES:

Trouser must be available from stock in the following sizes:

SHORT RISE: 4 - 14 (EVEN ONLY)

REGULAR RISE: 2 - 26 (EVEN ONLY)

Bid Price: _____ Equivalent Proposal: _____

LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

Bid Price: _____ Equivalent Proposal: _____

Motor Breeches:

511 breeches style number 74407 or equivalent

Bid Price: _____ Equivalent Proposal: _____

Utility Uniform Class C:

Long Sleeve Shirt: 511 model 72175 black in color or equivalent. Patches are to be sewn on both sides of shirt.

Badge tab and Epaulettes to be sewn on. Black military name strip to be sewn over right pocket. Lt. Gold stitching embroidered matching current color and style. Or equivalent

Bid Price: _____ Equivalent Proposal: _____

Short Sleeve Shirt: 511 model 71175 black in color or equivalent. Patches are to be sewn on both sides of shirt.
Badge holder and Epaulettes to be sewn on Black military name strip to be sewn over right pocket. Lt. Gold stitching embroidered matching current color and style. Or equivalent

Bid Price: _____ Equivalent Proposal: _____

Pants: 511 model 74369 black in color or equivalent

Bid Price: _____ Equivalent Proposal: _____

Tru Spec: Rip stop 24-7 series Khaki in color or equivalent

Bid Price: _____ Equivalent Proposal: _____

Shorts: Tru Spec model 4231 black or equivalent

Bid Price: _____ Equivalent Proposal: _____

Dress Blouse:

Material: Black 605 poly/wool elastique.
Style: Notch lapel, 4 button front patch, pleated chest & hip pockets with scalloped flaps.
Hooks: Front and back only
Vent: yes
Epaulets: No trim.
Sleeve Trim: "V" cuff like NJSP no trim.
Collar: Notch lapel.
Buttons: Silver and brass with NJ seal.
Badge tab: yes

Bid Price: _____ Equivalent Proposal: _____

Dress Hat

Pershing style black with silver or brass buttons
Crushed Pershing style hat for motor unit.

Bid Price: _____ Equivalent Proposal: _____

Knit Hat

Black with LBTPD embroidered in gold.

Bid Price: _____ Equivalent Proposal: _____

Turtleneck Shirt:

Blaurer style #8100 or equivalent. Black with LBTPD in gold stitching matching current color and style on left of shirt neck.

Bid Price: _____ Equivalent Proposal: _____

Sweater:

Crewneck black cobmex 8083 with department patches on both sleeves badge tab sewn on and name strip in Lt. gold sewn on.

Bid Price: _____ Equivalent Proposal: _____

Ties:

Samuel Broom #455B03 BH black or equivalent.

Bid Price: _____ Equivalent Proposal: _____

Whistle:

Metal gold or silver in color.

Bid Price: _____

Whistle lanyard:

Metal gold or silver in color

Bid Price: _____

Duty Jacket:

Elbeco SH3200 in black with Dept. patches on both sleeves and badge tab sewn on

Bid Price: _____ Equivalent Proposal: _____

Elbeco SH3500 soft shell liner in black with Dept. patches on both sleeves and badge tab sewn on

Bid Price: _____ Equivalent Proposal: _____

Rain Pants/Jacket:

Pants: 511 model 48057 Patrol Rain pant Black (019) or equivalent

Bid Price: _____ Equivalent Proposal: _____

Jacket: 511 model 48098 Tac Dry Rain Shell Black (019) Police screened on back panel. Patch sewn on left chest panel and name sewn on right chest panel or equivalent.

Bid Price: _____ Equivalent Proposal: _____

Long Jacket: Blaur model 733 Reversible or equivalent

Bid Price: _____ Equivalent Proposal: _____

Short Jacket: Blaur model 233 Reversible or equivalent

Bid Price: _____ Equivalent Proposal: _____

Motorcycle Jacket:

Taylor model 4473Z Pittsburgh Cowhide Jacket. Black with no patches and no keeper loops. No substitutions.

Bid Price: _____

Shoes:

Bates -83 Buckle Chukka Leather No substitutions

Bid Price: _____

Bates-22233 Black Leather Oxford

Bid Price: _____ Equivalent Proposal: _____

Danner Striker Bolt 8" Style #26633 No substitutions

Bid Price: _____

Chip-27950 17" polishable trooper boot No substitutions.

Bid Price: _____

Duty Belt:

Don Hume B101BW 2 ¼ inch black basket weave design with 2 ¼ inch chrome or brass buckle. No substitutions.

Bid Price: _____

Shoulder Strap:

Don Hume S110BW basket weave design. No substitutions.

Bid Price: _____

Class C Belt:

511 Sierra Bravo Black

Bid Price: _____ Equivalent Proposal: _____

Mace Holder:

Don Hume C309BW basket weave design with hidden snap for MK-3 style spray No substitutions.

Bid Price: _____

DeSantis M8002 Black nylon for MK-3 size spray

Bid Price: _____

Magazine Holder:

Don Hume DONH-D407BW black cowhide basket weave design with two magazine compartments and hidden snap
No substitutions.

Bid Price: _____

Handcuff Case:

Don Hume C303 black basket weave design with hidden snap No Substitutions

Bid Price: _____

DeSantis black nylon to fit Peerless Hinged Handcuffs Model 801

Bid Price: _____

Knife Holder: Dun Hume model D407-1BW leather holder in basket weave.

Bid Price: _____

Recruit Uniform Package

Khaki Pants with sewn increases.

Bid Price: _____ Equivalent Proposal: _____

Khaki Long Sleeve Shirt with Dept. patch right shoulder OCPA patch left shoulder.

Bid Price: _____ Equivalent Proposal: _____

Jacket: Tru-Spec H20 Proof Gen 2 Parka #2434

Bid Price: _____ Equivalent Proposal: _____

Tru-Spec Polar Fleece Jacket #2434

Bid Price: _____ Equivalent Proposal: _____

Propper 3 in 1 Hardshell Parka Black #F5436

Bid Price: _____ Equivalent Proposal: _____

Rain Pant: Tru-Spec H20 Proof ECWCS #2046

Bid Price: _____ Equivalent Proposal: _____

Propper Packable Waterproof Pant, Black #F5239

Gym Shorts Navy

Bid Price: _____ Equivalent Proposal: _____

Heat Transfer of last name on rear of shorts 2" gold letters

Bid Price: _____ Equivalent Proposal: _____

Winter Cap- Black Outer Limits- or equivalent

Bid Price: _____ Equivalent Proposal: _____

Name Plate- silver chrome plated clutch back 2 3/8 x 1/2.

Bid Price: _____ Equivalent Proposal: _____

Tie bar silver in color

Bid Price: _____ Equivalent Proposal: _____

Shoes Leather Oxford Style

Bid Price: _____ Equivalent Proposal: _____

BDU pant black rip stop.

Bid Price: _____ Equivalent Proposal: _____

Baseball cap

Bid Price: _____ Equivalent Proposal: _____

Kiwi shoeshine kit

Bid Price: _____ Equivalent Proposal: _____

Sweatpants Jerzees fleece navy blue or equivalent

Bid Price: _____ Equivalent Proposal: _____

Heat Transfer of last name on back of pants 2" gold letters

Bid Price: _____ Equivalent Proposal: _____

Sweatshirt- Jerzees Navy Blue or equivalent.

Bid Price: _____ Equivalent Proposal: _____

Tee Shirts Haines Beefy T or equivalent

Bid Price: _____ Equivalent Proposal: _____

Heat Transfer of last name on front and back of shirts 2" gold letters

Bid Price: _____ Equivalent Proposal: _____

Clip On Tie black

Bid Price: _____ Equivalent Proposal: _____

Belt 1 1/2 in black with plain silver buckle

Bid Price: _____ Equivalent Proposal: _____

Uniform Equipment:

Baton: Monadnok model 9152 22in auto lock expandable baton with super grip and power safety tip.

Bid Price: _____ Equivalent Proposal: _____

Baton Holder: Monadnok model 3634 front draw baton holder for the 22in auto lock baton in basket weave.

Bid Price: _____ Equivalent Proposal: _____

Handcuffs: Peerless model 4801 Nickel Hinged Cuffs

Bid Price: _____ Equivalent Proposal: _____

Hand Cuff Keys: Peerless model # 4100 standard key

Bid Price: _____ Equivalent Proposal: _____

Knife: Premier Model PK3339J with New Jersey Seal

Bid Price: _____ Equivalent Proposal: _____

Pepper Spray: Def-Tec model 5039 MK-3

Bid Price: _____ Equivalent Proposal: _____

Alterations and Embroidery:

Patches: Of the style worn by the department exactly the same in dimension and size.

Bid Price: _____ Equivalent Proposal: _____

Insignias: Not to exceed certain price. Sgt. Stripes, Capt. Bars, Etc.

Bid Price: _____ Equivalent Proposal: _____

Name Tags: gold in color.

Bid Price: _____ Equivalent Proposal: _____

Hash Marks:

Bid Price: _____ Equivalent Proposal: _____

Alterations: Not to exceed certain price. (Alterations must be completed within 3 business days)

Sew on new insignia and remove old insignia.

Bid Price: _____ Equivalent Proposal: _____

Alterations to shirts

Bid Price: _____ Equivalent Proposal: _____

Alterations to pants

Bid Price: _____ Equivalent Proposal: _____

Alteration to dress blouse

Bid Price: _____ Equivalent Proposal: _____

BID INTENT AND ADDITIONAL TERMS

1. It is the intention of the Township Mayor and Commissioners to solicit bids and award a contract on behalf of the police officers of the Township of Long Beach by assisting them in acquiring such ITEM #s in an economical and efficient manner. It is in the interest of uniformity, consistency, and appearance that these bids will be awarded.
2. Vendor's location shall be within a thirty (45) mile radius of the Long Beach Township Police Department location (6805 Long Beach Blvd, Brant Beach, NJ, 08008) to enable any police officer to obtain assistance/measurements with any item listed.
3. The bidder shall make arrangements to take the measurements of all members of the department within two weeks after being awarded the bid. The bidder shall be required to take orders at the Long Beach Township Headquarters once a month. Deliveries to be made within thirty (30) days of placement of order. All deliveries are to be F.O.B. Township of Long Beach. All items are to be delivered to the following address: Township of Long Beach, Police Department, 6805 Long Beach Blvd, Brant Beach, NJ 08008.
4. **Delivery Requirements as follows:**
 - **All equipment listed in the bid specifications to be delivered to the Township of Long Beach within Thirty (30) business days after receipt of order (A.R.O.). If this delivery stipulation cannot be met, it must be noted on the Exception Sheet. Delivery charges must be included in the bid price.**
 - **Non-Customized items listed in the bid specifications to be delivered to the Township of Long Beach within Thirty (30) business days after receipt of order (A.R.O.). If this delivery stipulation cannot be met, it must be noted on the Exception Sheet. Delivery charges must be included in the bid price.**
 - **Customized items listed in the bid specifications to be delivered to the Township of Long Beach within Thirty (30) business days after receipt of order (A.R.O.). If this delivery stipulation cannot be met, it must be noted on the Exception Sheet. Delivery charges must be included in the bid price.**
5. **FAILURE TO DELIVER**

Should the contractor fail to deliver the uniform/equipment as required, the Township of Long Beach may, after giving twenty-four hours' notice to the contractor, purchase in the open market uniform/equipment still due on the order/contract. If such a purchase shall involve the cost to the Township of Long Beach greater than what had been incurred by fulfillment of the contract, the excess cost shall be charged to the contractor and shall be deducted from any monies withheld under the contract, if these are sufficient, or otherwise any deficiencies shall constitute a claim by the Township of Long Beach for reimbursement from the contractor.

All orders must be placed by purchase order. The Township will not accept responsibility for any phone orders.

 - **Delivered price FOB destination. No additional charges for any reason will be accepted.**
 - Sales to co-op participants are exempt from taxation either state or municipal and from federal taxation, including excise tax.

- Where a bidder submits an equivalent, it shall be the responsibility of the bidder to document the equivalence claim.
 - If a vendor is submitting an equivalent item as listed, a sample of the equivalent item must be included with the submitted bid packet.
 - All samples will be returned to the vendor.
 - Failure to submit such documentation shall be grounds for rejection of the claim of equivalence.
6. All bids shall be placed on letterhead of the prospective bidder and signed by same. Bids shall be enclosed in a sealed envelope bearing the name of the bidder and the name of the item or items which the bid covers and shall be addressed to the Purchasing Agent of Long Beach Township. No responsibility shall be assumed by the Township for any bids mailed to the Purchasing agent which are not received before said time. No bid shall be received after the said time and place.
 7. Pursuant to N.J.S.A 40A11-15(32), the contract period to be covered by this bid is April 1, 2021 through December 31, 2022. The Township reserves the right to extend the contract with the vendor's agreement for either one two-year extension or two one-year extensions as per the Local Public Contracts Law 40A:11-15.
 8. Should both parties agree in writing to extend the contract for a period of one-year effective January 1, 2023 through December 31, 2023, an increase in the above-stated unit price shall be negotiated by both parties in an amount not to exceed the prevailing municipal CAP rate prescribed by the State of New Jersey at the conclusion of the initial contract period.
 9. THE TOWNSHIP WILL NOT ACCEPT MINIMUM ORDER REQUIREMENTS
 10. The undersigned, as bidder, will provide all the goods and/or services called for by the Contract Documents in the manner prescribed therein for the purchase of Police Uniforms.
 11. In submitting this Bid, the Bidder understands that the right is reserved by the Township to reject any and all bids for just cause. If written notice of the acceptance of this Bid is mailed, telefaxed, or delivered to the undersigned within sixty (60) days after the opening thereof, the bidder agrees to execute and deliver an agreement in the prescribed form within ten (10) days of receipt of the Agreement.
 12. The Township of Long Beach reserves the right to make multiple awards for this contract. Award(s) will be made pursuant to the bid specifications. Following an award to multiple bidders, the Township shall order each item from the bidder with the lowest responsible and compliant bid for the uniform item required. In the event that the bidder cannot supply the item required within the required timeframe, the Township shall order from the next lowest responsible and compliant bid. The Township reserves all rights to purchase at open market and invoice the bidder for the difference pursuant to the terms of the specifications in the event that a bidder cannot comply with the order and delivery requirements.
 13. The contract period to be covered by this bid shall be April 1, 2021 through December 31, 2022. The Township of Long Beach shall have the option to extend the contract for a period of one-year as agreed to in writing by both parties at the end of the initial contract period.

14. Should both parties agree in writing to extend the contract for a period of one-year effective January 1, 2023 through December 31, 2023, an increase in the above-stated unit price shall be negotiated by both parties in an amount not to exceed the prevailing municipal CAP rate prescribed by the State of New Jersey at the conclusion of the initial contract period.

Date: _____

(Company)

By: _____

(Name of Bidder)

Official Address:

Title: _____

Telephone Number: _____