Bid Document Submission Checklist
Township of Long Beach

Purchase and Delivery of Various Police Uniform Items

Required with Submission of Bid: Owner's Checkmarks: X		Initial Each Item Submitted with Bid (Bidder's Initials)
X	Authorized Business Agent	
x	Acknowledgement of Receipt of any Notice(s) or Revision(s) or Addenda	
X	NJ State Business Registration Certificate	
X	Statement of Corporate Ownership/Certification, Pursuant to NJSA 52:25-24.2	
X	Disclosure of Investment Activities in Iran	
X	Bid Response Sheet	
X	Specifications and Proposal	
X	Bidder's acknowledgement of Receipt of any Notice(s) or Revision(s) or Addenda to an advertisement, specifications or bid document(s)	
X	Non-Collusion Affidavit	
X	Acknowledgement of Affirmative Action	
X	Affirmative Action Mandatory Language	
X	Americans With Disabilities Act	
X	W-9 (upon award)	
X	Additional Bid and Contract Provisions	
X	Russia and Belarus Certification	

Signature: The undersigned hereby acknowledges review and submission of the above-listed requirements.

Name of Bidder:_____

Signature of Authorized Agent:_____

Name and Title:_____

Date:_____ Contact phone#: _____

NOTICE TO ALL BIDDERS

PUBLIC NOTICE IS HEREBY GIVEN that sealed bids will be received by the Board of Commissioners of the Township of Long Beach, County of Ocean, State of New Jersey for the following in the Purchasing Department, 6805 Long Beach Blvd., Brant Beach, NJ:

- Purchase and Delivery of Various Police Uniform Items

until **November 13, 2026 at 10:00 A.M.** at which time and place they will be publicly opened and read aloud. No facsimile copies of the bids will be accepted. Specifications and other bid information may be obtained at the Purchasing Office of the Township of Long Beach, 6805 Long Beach Blvd., Brant Beach, NJ 08008 (609-361-6634) during regular business hours: 9:00 a.m. to 4:00 p.m. and on the municipal website: www.longbeachtownship.com. Mailing of bid documents will be made at the bidders' cost.

All bid Addenda will be issued on the website. Therefore, all interested respondents should check the above website now through the bid opening. It is the sole responsibility of the respondent to be knowledgeable of all addenda related to this procurement.

Bidders are required to comply with the requirements N.J.S.A. 10:5-31 et seq. and N.J.A.C. 17:27-1 et seq.

Bidders are required to comply with the requirements P.L. 1977, c.33; and P.L. 1999, c.238 "The Public Works Registration Act" if applicable.

The Minimum Wage rates, if applicable, for labor employed on these contracts shall be as specified in the "The New Jersey Prevailing Wage Rate Determination", of the New Jersey Department of Labor and Industry.

The Township of Long Beach hereby reserves the right to consider the bids for sixty (60) days after the receipt thereof. The Township further reserves the right, which is understood and agreed to by all bidders, to award the contract award to the lowest responsible bidder based on the lowest Total Bid Amount and to make such awards or take such action as may be in the best interest of the Township. Multiple awards may be made.

Katlyn Kerlin, QPA

STATEMENT OF OWNERSHIP

DISCLOSURE CERTIFICATION

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33)

This Statement Shall Be Included with Bid Submission

No corporation, partnership, limited partnership, limited liability corporation, limited liability partnership, Subchapter S corporation or sole proprietorship shall be awarded a contract for the performance of any work or the furnishing of any materials or supplies, unless, prior to the receipt of the bid or accompanying the bid of said corporation, partnership, limited partnership, limited liability corporation, limited liability partnership, Subchapter S corporation or sole proprietorship, there is submitted a statement setting forth the names and addresses of all stockholders who own ten (10) percent or more of the stock of any class, or of all individual partners who own a ten (10) percent or greater interest therein. If one or more such stockholder is itself a corporation or partnership, the stockholders holding 10% or more of that corporation's stock, or the individual partners owning 10% or greater interest in that partnership, as the case may be, shall also be listed. The disclosure shall be continued until names and addresses of every non-corporate stockholder and individual partner, exceeding the 10% ownership criteria established in this act has been listed. This form shall be signed and submitted with the bid whether or not a stockholder or partner owns less than 10% of the business submitting the bid.

The Attorney General has concluded that the provisions of N.J.S.A. 52:25-24.2, in referring to corporations and partnerships, are intended to apply to all forms of corporations and partnerships, including, but not limited to, limited partnerships, limited liability corporations, limited liability partnerships, and Subchapter S corporations.

Bidders are required to disclose whether they are a partnership, corporation or sole proprietorship. The Stockholder Disclosure Certification form shall be completed, signed and notarized. Failure of the bidder to submit the required information is cause for automatic rejection of the bid.

STATEMENT OF OWNERSHIP DISCLOSURE

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33, as amended by P.L. 2016, c.43)

This statement shall be completed, certified to, and included with all bid and proposal submissions. Failure to submit the required information is cause for automatic rejection of the bid or proposal.

Name of Organization: _____

Organization Address: _____

Part I Check the box that represents the type of business organization:

☐ Sole Proprietorship (skip Parts II and III, execute certification in Part IV)
☐ Non-Profit Corporation (skip Parts II and III, execute certification in Part IV)
☐ For-Profit Corporation (any type) ☐ Limited Liability Company (LLC)
☐ Partnership ☐ Limited Partnership ☐ Limited Liability Partnership (LLP)
☐ Other (be specific): _____

Part II

☐ The list below contains the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be. (**COMPLETE THE LIST BELOW IN THIS SECTION**)

OR

☐ No one stockholder in the corporation owns 10 percent or more of its stock, of any class, or no individual partner in the partnership owns a 10 percent or greater interest therein, or no member in the limited liability company owns a 10 percent or greater interest therein, as the case may be. (**SKIP TO PART IV**)

(Please attach additional sheets if more space is needed):

Name of Individual or Business Entity	Home Address (for Individuals) or Business Address

Part III DISCLOSURE OF 10% OR GREATER OWNERSHIP IN THE STOCKHOLDERS, PARTNERS OR LLC MEMBERS LISTED IN PART II

If a bidder has a direct or indirect parent entity which is publicly traded, and any person holds a 10 percent or greater beneficial interest in the publicly traded parent entity as of the last annual federal Security and Exchange Commission (SEC) or foreign equivalent filing, ownership disclosure

can be met by providing links to the website(s) containing the last annual filing(s) with the federal Securities and Exchange Commission (or foreign equivalent) that contain the name and address of each person holding a 10% or greater beneficial interest in the publicly traded parent entity, along with the relevant page numbers of the filing(s) that contain the information on each such person. **Attach additional sheets if more space is needed**.

Website (URL) containing the last annual SEC (or foreign equivalent) filing	Page #'s

Please list the names and addresses of each stockholder, partner or member owning a 10 percent or greater interest in any corresponding corporation, partnership and/or limited liability company (LLC) listed in Part II **other than for any publicly traded parent entities referenced above**. The disclosure shall be continued until names and addresses of every noncorporate stockholder, and individual partner, and member exceeding the 10 percent ownership criteria established pursuant to N.J.S.A. 52:25-24.2 has been listed. **Attach additional sheets if more space is needed.**

Stockholder/Partner/Member and Corresponding Entity Listed in Part II	Home Address (for Individuals) or Business Address

Part IV Certification

I, being duly sworn upon my oath, hereby represent that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I acknowledge: that I am authorized to execute this certification on behalf of the bidder/proposer; that the ***Township of Long Beach*** is relying on the information contained herein and that I am under a continuing obligation from the date of this certification through the completion of any contracts with ***Township of Long Beach*** to notify the ***Township of Long Beach*** in writing of any changes to the information contained herein; that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I am subject to criminal prosecution under the law and that it will constitute a material breach of my agreement(s) with the, permitting the ***Township of Long Beach*** to declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print):		Title:	
Signature:		Date:	

NON-COLLUSION AFFIDAVIT

State of _____)

County of_____)

I, (Name)_____, of the municipality of _____ in the county of _____ in the State of _____, of full age, being duly sworn according to law on my oath depose and say I am (Title)_____ of the firm of (Name of Firm)_____, the bidder making the Proposal for the above-named project, and that I exercise the said Proposal with full authority so to do; that said bidder has not, directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free, competitive bidding in connection with the above named project, and that all statements contained in said Proposal and in this affidavit are true and correct, and made with full knowledge that the Township of Long Beach relies upon the truth of the statements contained in said Proposal and in the statements contained in this affidavit in awarding the contract for the said project. I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees or bona fide established commercial or selling agencies

maintained by _____. (N.J.S.A. 52:34-15)

(Name of Contractor)

Name: _____ Title_____

Signature

Name: _____

Printed

Subscribed and sworn to before me

this_____ day of_____, 20

Notary: _____

My commission expires: _____

ACKNOWLEDGMENT OF RECEIPT OF NOTICE, OR ADDENDA, OR REVISIONS TO THE ADVERTISEMENT OF BID DOCUMENTS

Pursuant to Local Public Contracts Law 40A:11-23 the contractor/bidder shall acknowledge by signature the following:

ADDENDUM #1 dated _____

ADDENDUM #2 dated _____

ADDENDUM #3 dated _____

☐ **No addenda were received**:

Acknowledged for: _____
(Name of Bidder)

By: _____
(Signature of Authorized Representative)

Name: _____
(Print or Type)

Title: _____

Date: _____

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE

N.J.S.A. 10:5-31 et seq. (P.L. 1975, c.127)

N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE, AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law. Except with respect to affectional or sexual orientation, gender identity or expression, atypical hereditary cellular or blood trait, genetic information or liability for military service, the contractor will take affirmative action to ensure that such applicants are recruited and employed, and that employees are treated during employment without regard to their age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law. Such action shall include, but not be limited to the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting for the provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable, will in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law.

The contractor or subcontractor, where applicable, will send to each labor union or representative or workers with which it has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer advising the labor union or workers' representative of the contractor's commitments under this Act and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to employ minority and women workers consistent with the applicable county employment goals established in accordance with N.J.A.C. I7:27-5.2 or a binding determination of the applicable county employment goals determined by the Division, pursuant to N.J.A.C. I7:27-5.2.

The contractor or subcontractor agrees to inform in writing appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, labor unions, that it does not discriminate on the basis of to age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law, and that it will discontinue to use any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees as may be applicable to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job related testing as established by the Statutes and Court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal Court decisions.

In conforming with applicable employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading, and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital, domestic partner or civil union status, affectional or sexual orientation, gender identity or expression, disability, nationality, sex, pregnancy (including recovery from childbirth), atypical hereditary cellular or blood trait, genetic information, veteran status or liability for military service, or association with a person who is a member of a protected class as recognized by law, consistent with the statues and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of goods and services contract, one of the following three documents:

Letter of Federal Affirmative Action Plan Approval
Certificate of Employee Information Report
Employee Information Report Form AA302

The contractor and its subcontractors shall furnish such reports or other documents to the Div. of Contract Compliance & EEO/AA as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Div. of Contract Compliance & EEO/AA for conducting a compliance investigation pursuant to Subchapter 10 of the Administrative Code at N.J.A.C. 17:27.

Company: _____ Date: _____

Signature: _____ Title:_____

NOTICE TO CONTRACTORS

RE: AFFIRMATIVE ACTION REGULATIONS

P.L. 1975, c. 127

PROCUREMENT AND SERVICE CONTRACTORS:

Bidders are required to comply with the requirements of P.L. 1975, c. 127.

A. ALL CONTRACTORS

1. Within seven (7) days after receipt of the notification of intent to Award the contract, or receipt of the contract, whichever is sooner, a procurement contractor should present one of the following to the Municipality:

    - An existing Federally approved or sanctioned Affirmative Action Program.
    - A Certificate of Employee Information Report Approval.
    - If the contractor cannot present either of the above-listed items, the contractor is required to submit a completed Employee's Information Report (Form AA302). This form will be made available to contractors by the Municipality.

The following questions must be answered by all prospective contractors:

1. Do you have a Federally approved or sanctioned Affirmative Action Program?

    Yes _____ No _____

    If "yes", please submit a photostatic copy of such approval.

2. Do you have a State Certificate of Employee Information Report approval?

    Yes _____ No _____

    If "yes", please submit a photo static copy of such approval.

The undersigned contractor certifies that he/she is aware of the commitment to comply with the requirement of P.L. 1975, c. 127, and agrees to furnish the required documentation pursuant to the Law.

Company: _____

Address: _____

Signature: _____

Title: _____

Phone: _____

AMERICANS WITH DISABILITIES ACT OF 1990
Equal Opportunity for Individuals with Disability

The contractor and the Township of Long Beach, (hereafter "owner"), do hereby agree that the provisions of Title 11 of the Americans With Disabilities Act of 1990 (the "Act") *(42 U.S.C. 5121 01* et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs, and activities provided or made available by public entities, and the rules and regulations promulgated pursuant there unto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the owner pursuant to this contract, the contractor agrees that the performance shall be in strict compliance with the Act. In the event that the contractor, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the contractor shall defend the owner in any action or administrative proceeding commenced pursuant to this Act. The contractor shall indemnify, protect, and save harmless the owner, its agents, servants, and employees from and against any and all suits, claims, losses, demands, or damages, of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The contractor shall, at its own expense, appear, defend, and pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the owner's grievance procedure, the contractor agrees to abide by any decision of the owner which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the owner, or if the owner incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the contractor shall satisfy and discharge the same at its own expense.

The owner shall, as soon as practicable after a claim has been made against it, give written notice thereof to the contractor along with full and complete particulars of the claim, If any action or administrative proceeding is brought against the owner or any of its agents, servants, and employees, the *owner shall* expeditiously forward or have forwarded to the contractor every demand, complaint, notice, summons, pleading, or other process received by the owner or its representatives.

It is expressly agreed and understood that any approval by the owner of the services provided by the contractor pursuant to this contract will not relieve the contractor of the obligation to comply with the Act and to defend, indemnify, protect, and save harmless the owner pursuant to this paragraph.

It is further agreed and understood that the owner assumes no obligation to indemnify or save harmless the contractor, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the contractor expressly understands and agrees that the provisions of this indemnification clause shall in no way limit the contractor's obligations assumed in this Agreement, nor shall they be construed to relieve the contractor from any liability, nor preclude the owner from taking any other actions available to it under any other provisions of the Agreement or otherwise at law.

CERTIFICATE BUSINESS REGISTRATION
(P.L. 2004, c.57)
(N.J.S.A. 52:32-44)

All business organizations that do business (i.e. compete for or enter into a contract) with a State, County or Local Contracting Agency are required to be registered with the State and provide proof of their registration to the contracting agency. Proof of valid business registration shall be in the form of a Business Registration Certificate issued by the Department of the Treasury, Division of Revenue. Information on how a business can obtain a certificate is located on the Internet at www.nj.gov/njbgs or by telephone at 609-292-1730. The purpose of the registration is to ensure that all businesses and their subsidiaries receiving government contracts pay appropriate sales, use, and other taxes. A contractor and its subcontractor(s) must collect and remit to the Division of Taxation the use tax pursuant to the Sales & Use Tax Act on all sales of tangible personal property delivered into this State. Notice of these requirements must be provided in bid specifications, requests for proposals and any other documents notifying potential contractors or procurement opportunities.

Business registration is required for any contract in excess of $6,000 (15% of $40,000) for municipalities with Qualified Purchasing Agents.

A contracting agency shall not enter into a contract with a business organization unless it has received proof of the business registration at the time of the bid or the proposal submission, in response to a request for bids or proposals. For all other transactions, the proof of business registration must be received prior to the issuance of a purchase order or other contracting document.

All public contractors submitting bids for public work must submit a copy of their proof of business registration with their bids. Bidders must also obtain and submit proof of registration from those subcontractors at all levels (tiers) if the specifications require the subcontractor to be listed or named in the bidder's submission. Proof of valid business registration must be provided by the bidders and their named subcontractors at all levels (tiers) at the time the bid or proposal is officially received and opened by the contracting agency if required by the specifications. Failure to submit proof of registration is considered a mandatory rejection of bids and is non-waivable by the contracting agency.

The contractor shall provide written notice to its subcontractor and suppliers of the responsibility to submit proof of business registration to the contractor. The requirement of proof extends down through all levels (tiers) of the project. After the award of a project, the contractor has the obligation to obtain proof of registration from each subcontractor or a supplier on the project (in addition to those listed or named in the bid submission) and file proof of their business registration with the contracting agency prior to receiving final payment.

If there are no subcontractors on a project, the contractor must certify to that effect.

-----Attach Certificate-----

CERTIFICATION: Authorized Business Agent

AUTHORITY TO SUBMIT BID ON BEHALF OF THE BUSINESS ORGANIZATION

I, _____, certify that I am the_____
Name Title

of the Corporation, Limited Liability Corporation, Partnership, or Sole Proprietorship and named

as Principal in the within bid; and I certify that _____,
who
Name

signed the bid on behalf of the Principal was then the_____
Title

of said corporation, that I know his or her signature, and his/ her signature thereto is genuine;

and that said bid was duly signed, sealed, and attested to for and on behalf of said Business

Organization by authority of the Owner(s) / Managing Member(s).

_____
Date

_____
Corporate Seal

Name: _____
Signature

Name: _____
Printed

Title: _____

Business Organization Name:

_____

INDEMNIFICATION AGREEMENT

THIS AGREEMENT ("Agreement"), by and between Township of Long Beach ("Township"), whose address is 6805 Long Beach Boulevard, Brant Beach, New Jersey 08008, and _____ ("Bidder"), whose address is _____, shall be binding and legally effective upon the execution of the Bidder.

WITNESSETH:

1. Bidder expressly, knowingly, and, to the fullest extent permitted by law, agrees to and shall release, indemnify, defend, and hold harmless Township, its elected and appointed officials, officers, employees, agents, volunteers, and others working on behalf of the Township, from and against any loss, damages, claims, causes of action, liabilities, obligations, penalties, demands, and any and all other costs and expenses, including attorneys' fees and costs, threatened against, suffered, and/or incurred by Township, its elected and appointed officials, officers, employees, agents, volunteers, and others working on behalf of the Township arising out of and/or in any manner relating to the permitted, contracted, and/or licensed activity engaged in by Bidder in and/or relating to the Township, and the acts and/or omissions of the Bidder, its officers, owners, agents, employees, independent contractors, guests, volunteers, others working on behalf of Bidder, and/or customers relating thereto. Bidder shall be responsible and liable for the payment of any and all of the foregoing attorney's fees and costs to attorneys of Township's selection for any investigation and review, pre-litigation, litigation, post-judgment litigation, bankruptcy proceedings, and any and all appeals arising out of and/or relating to this Agreement.

2. The existence of any available and/or applicable insurance shall not waive or release Bidder from the Bidder's obligations set forth in this Agreement.

Dated: _____

_____
BIDDER

STATE OF _____)
) SS
COUNTY OF _____)

On _____, 20__ before me, _____, Notary Public in and for said county, personally appeared (signer) who has satisfactorily identified him/her as the signer on behalf of the Bidder to the above-referenced document.

_____
Notary's Name

Seal

Prohibited Russia-Belarus Activities & Iran Investment Activities

Person or Entity	

Part 1: Certification

COMPLETE PART 1 BY CHECKING **ONE OF THE THREE BOXES BELOW**

Pursuant to law, any person or entity that is a successful bidder or proposer, or otherwise proposes to enter into or renew a contract, for goods or services must complete the certification below prior to contract award to attest, under penalty of perjury, that neither the person or entity, nor any parent entity, subsidiary, or affiliate, is identified on the Department of Treasury's Russia-Belarus list or Chapter 25 list as a person or entity engaging in prohibited activities in Russia, Belarus or Iran. Before a contract for goods or services can be amended or extended, a person or entity must certify that neither the person or entity, nor any parent entity, subsidiary, or affiliate, is identified on the Department of Treasury's Russia-Belarus list. Both lists are found on Treasury's website at the following web addresses:

https://www.nj.gov/treasury/administration/pdf/RussiaBelarusEntityList.pdf
www.state.nj.us/treasury/purchase/pdf/Chapter25List.pdf.

As applicable to the type of contract, the above-referenced lists must be reviewed prior to completing the below certification.

A person or entity unable to make the certification must provide a detailed, accurate, and precise description of the activities of the person or entity, or of a parent entity, subsidiary, or affiliate, engaging in prohibited activities in Russia or Belarus and/or investment activities in Iran. The person or entity must cease engaging in any prohibited activities and provide an updated certification before the contract can be entered into.

If a vendor or contractor is found to be in violation of law, action may be taken as appropriate and as may be provided by law, rule, or contract, including but not limited to imposing sanctions, seeking compliance, recovering damages, declaring the party in default, and seeking debarment or suspension of the party.

CONTRACT AWARDS AND RENEWALS

☐	*I certify, pursuant to law, that neither the person or entity listed above, nor any parent entity, subsidiary, or affiliate appears on the N.J. Department of Treasury's lists of entities engaged in prohibited activities in Russia or Belarus pursuant to P.L. 2022, c. 3 or in investment activities in Iran pursuant to P.L. 2012, c. 25 ("Chapter 25 List"). I further certify that I am the person listed above, or I am an officer or representative of the entity listed above and am authorized to make this certification on its behalf.* (Skip Part 2 and sign and complete the Certification below.)

CONTRACT AMENDMENTS AND EXTENSIONS	
☐	*I certify, pursuant to law, that neither the person or entity listed above, nor any parent entity, subsidiary, or affiliate is listed on the N.J. Department of the Treasury's lists of entities determined to be engaged in prohibited activities in Russia or Belarus pursuant to P.L. 2022, c. 3. I further certify that I am the person listed above, or I am an officer or representative of the entity listed above and am authorized to make this certification on its behalf.* (Skip Part 2 and sign and complete the Certification below.)
IF UNABLE TO CERTIFY	
☐	*I am unable to certify as above because the person or entity and/or a parent entity, subsidiary, or affiliate is listed on the Department's Russia-Belarus list and/or Chapter 25 Iran list. I will provide a detailed, accurate, and precise description of the activities as directed in Part 2 below, and sign and complete the Certification below. Failure to provide such will prevent the award of the contract to the person or entity, and appropriate penalties, fines, and/or sanctions will be assessed as provided by law.*

Part 2: Additional Information

PLEASE PROVIDE FURTHER INFORMATION RELATED TO PROHIBITED ACTIVITIES IN RUSSIA OR BELARUS AND/OR INVESTMENT ACTIVITIES IN IRAN.

You must provide a detailed, accurate, and precise description of the activities of the person or entity, or of a parent entity, subsidiary, or affiliate, engaging in prohibited activities in Russia or Belarus and/or investment activities in Iran in the space below and, if needed, on additional sheets provided by you.

Part 3: Certification of True and Complete Information

I, being duly sworn upon my oath, hereby represent and state that the foregoing information and any attachments there, to the best of my knowledge, are true and complete. I attest that I am authorized to execute this certification on behalf of the above-referenced person or entity.

I acknowledge that the Contracting Unit is relying on the information contained herein and hereby acknowledge that I am under a continuing obligation from the date of this certification through the completion of any contracts with the Contracting Unit to notify the Contracting Unit in writing of any changes to the answers of information contained herein.

I acknowledge that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification. If I do so, I recognize that I am subject to criminal prosecution under the law and that it will also constitute a material breach of my agreement(s) with the Contracting Unit and that the Contracting Unit at its option may declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print)		**Title**	
Signature		**Date**	

1.01. ADDITIONAL GENERAL TERMS

1.01.01. Included Charges. All bid or quoted prices shall be net and shall include all transportation and/or delivery charges. No additional charges shall be paid for any reason.

1.01.02. Minimum Purchase Guarantee. The Township reserves the right to purchase the item(s) and/or service(s) bid herein from New Jersey State Contract, the County of Ocean Cooperative Contract, the Stafford Township Cooperative Pricing System, or any other Cooperative Pricing System of which the Township is a registered member, as applicable.

1.01.03. Quality of Materials and Services. The bidder/vendor (collectively "Vendor") shall guarantee any and/or all material and services supplied under these specifications. Defective or inferior items and defective services shall be replaced and corrected, respectively, at the expense of the Vendor. If the Vendor shall fail to furnish and deliver the supplies or any item thereof or services within time specified and allowed, the Township may cancel as to those supplies which are not furnished and/or delivered or services and may also cancel the remainder of the order and may deduct and retain out of the moneys due, or which may become due to such person or firm from the Township, such sum as shall be sufficient to pay the difference between the prices on which the award is made and the prices which the Township may or shall be obligated to pay to procure such supplies or services from other parties, and in addition, usual damages for breach of contract. The contractor shall properly clean up all areas affected by his work. The premises shall be left in the same condition as prior to starting the contractor's activities.

1.01.04. Goods Specifications. All items bid or quoted shall conform to the written descriptions and specifications. Specific manufacturers, models and brand names may be mentioned in these specifications to establish the level of quality sought by the Township. Manufacturers, models, and items of equivalent or greater quality may be substituted and so noted, in writing, on the applicable exception sheets. The burden of proof as to the equality of any substitutions shall be the Vendor's responsibility. The Township reserves the right to request a sample of any substitutions being bid, prior to award of contract. Failure to change the descriptions as above will be interpreted to mean that the bidder intends to furnish the particular make of article called for in the specifications, and the Township shall insist upon delivery of the specified item. Substitutions shall not be permitted after bids have been opened and accepted by the Township. All decisions as to the quality of the products shall be made by the Township and such decisions shall be final. In case of rejected materials, the vendor will be responsible for return freight charges.

1.01.05. Permits. N/A

1.01.06. Emergent Goods and Services. The Township reserves the right to require the Vendor to both quote and timely deliver any emergent materials, supplies, equipment, etc., which are consistent with the items listed but not specifically set forth in this document during the period of performance (term of this contract). Emergent requirements include, but are not limited to, those currently undefined, unanticipated and otherwise non-routine requirements which could not have been included at solicitation as specified (detailed) requirements. The Township reserves the right to secure similar goods and services from other entities pursuant to the emergency exception of the Local Public Contract Law.

1.01.07. Business Registration Certificate ("BRC"). All business organizations that do business with a local contracting agency (i.e. Township) are required to be registered with the State of New Jersey, Department of Treasury, Division of Revenue, and provide proof of that registration to the contracting agency before the contracting agency may enter into a contract with the business. While the inclusion of a copy of your BRC is no longer mandatory with the bid submission, all Vendors (bidders) and subcontractors are required to be registered with the Department of the Treasury, Division of Revenue on the date of receipt of bids. A BRC is required prior to the time a contract, purchase order or other contracting document is awarded.

1.01.08. Subcontractor and Supplier Indemnification. The Vendor agrees to indemnify and hold the Township harmless from any liability to subcontractors/suppliers concerning payment for work performed or goods supplied arising out of the lawful termination of the contract by the owner under this provision.

2.01. TERM; FUNDS; LOWEST RESPONSIBLE BIDDER; MULTIPLE AWARDS; WAIVER

2.01.01. Transitional Period. In the event a new contract for the specific services and/or goods has not been awarded prior to the contract expiration date, it shall be incumbent upon the Vendor to continue the contract under the same terms and conditions until a new contract(s) can be completely operational. At no time shall this transition period extend more than ninety (90) days beyond the expiration date of the contract.

2.01.02. Availability of Funds. Continuation of the terms of the contract beyond the fiscal year is contingent on availability of funds in the Township's following year's budget. In the event of unavailability of such funds, the owner reserves the right to cancel the contract.

2.01.03. Lowest Responsible Bidder. The lowest responsible bidders shall be awarded pursuant to the Local Public Contracts Law and the Township may award the lowest responsible bidder based on the lowest per unit cost per service or good.

2.01.04. Multiple Awards. The Township of Long Beach reserves the right to make multiple awards for this entire contract to multiple bidders and further reserves the right to make multiple awards based upon the lowest per unit cost per service or good. In the event multiple Vendors are awarded by the Township, the lowest bidder for each unit category shall be the first Vendor called to provide the goods and/or services. In the event the first Vendor fails to timely respond and/or provide the services and goods required, the Township shall contact the next-lowest awarded Vendor to perform the goods and/or services. All Vendors expressly release and waive any and all claims against the Township relating to the Township's election to use additional Vendors pursuant to this paragraph, provided the Township first called the lowest bidder for the unit category and the lowest bidder failed to timely provide the goods and/or services. In the event no Vendor is able to comply with the delivery and time requirements set forth in this bid, the Township reserves the right to procure the required goods from third-party vendors in accordance with the Local Public Contracts Law.

3.01. TERMINATION OF CONTRACT

3.01.01. Termination for Default. If, through any cause, the Vendor shall fail to fulfill in a timely and proper manner obligations under the contract or if the Vendor shall violate any of the requirements of the contract, the Township shall there upon have the right to terminate the contract by giving written notice to the Vendor of such termination and specifying the effective

date of termination. Such termination shall relieve the Township of any obligation for balances to the Vendor of any sum or sums set forth in the contract for services not performed and goods not delivered. Township shall pay only for goods and services accepted prior to termination. Notwithstanding the above, the Vendor shall not be relieved of liability to the owner for damages sustained by the Township by virtue of any breach of the contract by the Vendor and the owner may withhold any payments to the Vendor for the purpose of compensation until such time as the exact amount of the damage due the Township from the Vendor is determined.

3.01.02. Additional Goods and Servies. In the event of default by the Vendor, the Township may procure the goods or services from other sources, including any additional Vendors who were awarded the bid pursuant to the specifications and who bid higher rates than the Vendor, and hold the Vendor responsible for any excess cost.

3.01.03. Termination for Convenience. The Township may at any time and for any reason terminate Vendor's services and work at Township's convenience. Upon receipt of such notice, Vendor shall, unless the notice directs otherwise, immediately discontinue the work and placing of orders for materials, facilities and supplies in connection with the performance of this Agreement. Vendor shall not be entitled to any claim or claim of lien against Township for any additional compensation or damages in the event of such termination and payment. The owner may terminate the contract for convenience by providing 30 calendar days advanced notice to the Vendor.

3.01.04. Unauthorized Subcontracting. Unauthorized subcontracting of any portion of the work will be cause for immediate termination of the contract.

4.01. INSURANCE REQUIREMENTS

4.01.1. Insurance Certificate. The Vendor shall provide proof of insurance at the time of award that names the Township as an additional insured.

4.01.2. Minimum Coverages. The Vendor shall secure the following minimum insurance coverages: General Liability minimum $1,000,000 Each Occurrence/$2,000,000 Aggregate; Workers Compensation and motor vehicle insurance at the statutory requirements.

5.01. MISCELLANEOUS

5.01.01. Entire Agreement. The bid specifications, all forms set forth in the bid packet and/or advertisement, the applicable laws and regulations, and this Additional Bid and Contract Specifications shall comprise the complete and entire agreement and understanding between the parties and supersedes all previous understandings and agreements, whether oral or written.

5.02.02. Interpretation. The bid specifications, all forms set forth in the bid packet and/or advertisement, the applicable laws and regulations, and this Additional Bid and Contract Specifications shall be interpreted in favor of the Township in the event of a conflict.

5.02.03. Severability. If any provision or portion of any provision of the contact documents with the Vendor shall be held to be illegal, invalid, or unenforceable by a court of competent jurisdiction, the remaining provisions or portions thereof shall remain in full force and effect.

5.02.04. Force Majeure. Neither party is liable for any default or delay in the performance of any of its obligations under this Agreement (other than failure to make payments when due) if

such default or delay is caused, directly or indirectly, by forces beyond such party's reasonable control, including, without limitation, fire, flood, acts of God, labor disputes, accidents, pandemics, acts of war or terrorism, interruptions of transportation or communications, supply shortages or the failure of any third party to perform any commitment relative to the production or delivery of any equipment or material required for such party to perform its obligations hereunder.

Dated: _____

_____
SIGNATURE

_____
PRINT NAME AND TITLE

STATE OF _____)
) SS
COUNTY OF _____)

On _____, 20____ before me, _____, Notary Public, in and for said County, personally appeared (signer) who has satisfactorily identified him/her as the signer on behalf of the Vendor to the above-referenced document.

_____
Notary's Name

Seal

Ultra-Club Wind Shirt or equivalent

Unit Price: _____ _____ _____ _____ _____

1 – 5 5-10 10-15 15-20 20-36

- 100% Polyester,
- High V-neck for warmth
- Two on seam side pockets
- Rib Knit cuffs and waist
- Tipped ribbing at neckline
- Garment Colors: Gray, Black, Navy, Red
- Variety of sizes: Small -XXL
- Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.

Please List All Exceptions:

_____
_____
_____
_____

Ultra-Club Short Sleeve Pique Polo or equivalent

Unit Price: _____ _____ _____ _____ _____

1 – 5 5-10 10-15 15-20 20-36

- 4.4 oz 100% Polyester mesh pique
- Moisture-wicking
- Pill-resistant
- UV Protection
- Fully taped flat rib-knit collar
- Half-moon patch
- 3-button placket with dyed to match buttons
- Double needle flat lock stitching at shoulders
- Garment Colors: Gray, Black, Navy, Red
- Variety of sizes: Small -XXL
- Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD

for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.

-

Please List All Exceptions:

_____
_____
_____
_____

Two Tone Bike Patrol Shirt with Zipper Pocket

For use by Bike Patrol Officers, the Bike Patrol Polo Shirt shall be made from durable polyester/micro polyester fibers that wick away moisture in order to speed cooling and drying; must present a professional look.

Unit Price:	_____	_____	_____	_____	_____
	1 – 5	5-10	10-15	15-20	20-36

- 100% polyester Moisture-Wicking material
- Zipper pocket under reflective stripe
- Epaulets on both shoulders
- Microphone or glasses loop under buttons
- Pen pocket on left sleeve
- Garment Color: Two-Tone White on Top, Black on Bottom
- Short sleeve sizes: Small - 5XL
- The bike shirts require “LBTPD Motor Unit” to be screen printed on the left chest, and “Police” screen printed on the back.
- Individual names embroidered in block font on the right chest.

Please List All Exceptions:

_____
_____
_____
_____

Jerzees Short Sleeve Pique Polo or Equivalent

Unit Price:	_____	_____	_____	_____	_____
	1 – 5	5-10	10-15	15-20	20-36

- 50% cotton 50% polyester
- Two-button placket
- Welt-knit collar

- Spotsheild stain resistant treatment
- Tagless
- “POLICE” screen printed in one color across the back.
- Garment Color: Gold
- Variety of sizes: Small -XXL
- Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.

Please List All Exceptions:

_____
_____
_____
_____

Port Authority Short Sleeve Pique Polo or Equivalent

Unit Price:	_____	_____	_____	_____	_____
	1 – 5	5-10	10-15	15-20	20-36

- 7-ounce, 100% ring spun combed cotton heavyweight pique (preshrunk)
- Garment washed for softness
- Double-needle stitching throughout
- Flat knit collar and cuffs
- Horn-Tone buttons
- Locker patch
- Side vents
- “POLICE” screen printed in one color across the back.
- Garment Color: Gray
- Variety of sizes: Small -XXL
- Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.

Please List All Exceptions:

_____
_____
_____
_____

Ultra Club Long Sleeve Pique Polo or equivalent

Unit Price: _____ _____ _____ _____ _____

1 – 5 5-10 10-15 15-20 20-36

- 4.4 oz 100% polyester mesh pique
- Moisture-wicking
- Pill-resistant
- Fully taped flat rib-knit collar
- Half-moon patch
- 3-button placket with dyed to match buttons
- Double needle flat lock stitching at shoulders
- Garment Colors: Gray, Black, Navy, Red
- Variety of sizes: Small -XXXL
- Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.

Please List All Exceptions:

_____

_____

_____

_____

MEN'S CLASS A LONG SLEEVE SHIRT: Flying Cross by Fechheimer Item: 05W8410Z

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 05W84Z 10. Dress style, top center placket front with zipper, full cut tapered fit, Freedom collar, long sleeves with barrel cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and collar band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR & STAND:

Collar points to measure 3" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 3/4" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/4" off the edge. Collars stand to measure 1-5/16" at rear and band to be interlined with "Crease N Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FREEDOM COLLAR FEATURE:

Material consisting of self-goods and lining material forming the neckband and the collar must be arranged with the weave thereof on a bias so that it is stretchable in the direction parallel to the circumferential direction of the collar. This expandable collar will allow for slight variations in neck size and make it easier to button because of the stretch or yield of the material.


FRONT:

The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-¾" except the spacing between the neck button and the first button on the front, which will be approximately 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.



SHOULDER STRAPS:


Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.



BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.


METAL EYELET BADGE TAB



POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket to have hook Velcro, 3/4" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.


POCKET



FLAPS:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

FLAP




SLEEVES:

Sleeve vent shall be a minimum of 4-1/2" long with one-piece top and bottom facings. Facing to measure 1-1/8" wide point blocked at top.

CUFFS:

Two-piece ½-inch hemmed cuff with 1/4" topstitching. Cuffs to measure 3" in depth with rounded corners (barrel cuffs). Cuffs to have two buttons and corresponding buttonholes set vertically with one button and buttonhole in center of facing. Cuffs to have woven interlining of #250 Dacron.



BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps, straps and top center to be interlined with #250 Dacron. Collar band interlining to be Crease-N-Tack.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collar, flaps, shoulder straps, and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed ½" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background. Hash marks shall be applied as required for all personnel, LT. Gold with black background.

STOCK SIZES:

Shirts must be available in the following sizes:
Sleeve lengths: 32-37 inches

Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

Bid Price: _____ Equivalent Proposal: _____

_____

MEN'S SHORT SLEEVE CLASS A SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 55R84Z 10

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 55R8410Z. Dress style, top center placket front with zipper, full cut tapered fit, convertible collar, short sleeves, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and banana band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR:

Convertible collar shall be one piece. Collar points to measure 3" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 3/4" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar topstitched 1/4" off the edge. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.



FRONT:


Each front shall have a facing approximately 3" in width. The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. Stitching on top center not to be visible on the turn-back facing. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-¾" except the spacing between the neck button and the first button on the front, which will be 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.



SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.


SHOULDER STRAP



BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.


METAL EYELET BADGE TAB



POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket to have hook Velcro, 3/4" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.


POCKET



FLAPS:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

FLAP



SLEEVES:

Sleeves are to be straight and whole and to have a ¾" hem and to finish at a minimum of 9 ½" long from shoulder seam.

BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps and pocket flaps to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, pocket flaps, straps, and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed ½" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background.

STOCK SIZES:

Shirts must be available in the following sizes:
Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

Bid Price: _____ Equivalent Proposal: _____

MEN'S CLASS A PANTS: Flying Cross by Fechheimer Item: F1 47280 10

FABRIC: Burlington 05329-0SS


Content: 75% Polyester/25% Wool

Weight: 12 oz. per linear yard

Weave: Serge

Colors: (10) Black

STYLE:




Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

FREEDOM-FLEX WAISTBAND SYSTEM:



Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a ¾-inch wide side belt loop positioned to 'hide" the expansion split of the waistband.

The waistband curtain shall consist of two different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of ½" wide rubberized surface area shall be cause for rejection.)

The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch


Contents: 59% Polyester/41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)


The waistband closure shall be accomplished with one crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.

BELT LOOPS:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all-around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.



FLY:




Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.

POCKETS:

The two (2) front pockets will be quarter top style with a minimum opening of 7" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bartacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4 " measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.



The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening of 2-5/8" and a minimum depth of 2-7/8". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

SEAT:


Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams are edge serge on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.



HEMMING: All trousers shall be hemmed to the officer's desired length

STOCK SIZES:

Trouser must be available from stock in the following sizes:

SHORT RISE: 28 - 42 (EVEN ONLY)

REGULAR RISE: 28 - 60 (EVEN ONLY OVER 38)

LONG RISE: 32 – 48 (EVEN ONLY)

LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside

of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

Bid Price: _____ Equivalent Proposal: : _____

WOMEN'S CLASS A LONG SLEEVE SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 105W84Z 10

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 105W8410Z. Dress style, top center placket front with zipper, full cut tapered fit, Freedom collar, long sleeves with barrel cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and collar band of high luster Poly Twill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR & STAND:

Collar points to measure 2 7/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 1/2" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/4" off the edge. Collars stand to measure 1-5/16" at rear and band to be interlined with "Crease N Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FREEDOM COLLAR FEATURE:

Material consisting of self-goods and lining material forming the neckband and the collar must be arranged with the weave thereof on a bias so that it is stretchable in the direction parallel to the circumferential direction of the collar. This expandable collar will allow for slight variations in neck size and make it easier to button because of the stretch or yield of the material.

FRONT:


The right front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The shirt will have 6 buttons and buttonholes on the front; spacing between each will be 3-1/2" except the spacing between the neck button and the first button on the front, which will be 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. An 11-1/2" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the left front, the balance to be sewn over the buttonholes on the right front.



SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.


SHOULDER STRAP



BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.


METAL EYELET BADGE TAB



POCKETS:

Two breast patch pockets with mitered corners and 1-1/4" full stitched pleats. Pleats shall be stitched top and bottom and wide, length of pleat to prevent spreading. Pocket to measure 5" wide, 5" deep. Each pocket to have hook Velcro, 3/4" long by ½" positioned on both edges of pocket to correspond with outer sides scalloped flap points as specified. Velcro to be stitched all and to be sewn through pocket and shirt for added reinforcement.


FEMALE POCKET



FLAPS:

Two piece deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/4". (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

FLAP




SLEEVES:

Sleeve vent shall be a minimum of 4-1/2" long with one-piece top and bottom facings. Facing to measure 1-1/8" wide point blocked at top.

CUFFS:

Two-piece ½-inch hemmed cuff with 1/4" topstitching. Cuffs to measure 2 1/2" in depth with rounded corners (barrel cuffs). Cuffs to be two buttons adjustable. Cuffs to have woven interlining of #250 Dacron.

ADJUSTABLE CUFF



BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps, straps, and top center to be interlined with #250 Dacron. Collar band interlining to be Crease-N-Tack.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps, shoulder straps, and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed ½" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background. Hash marks shall be applied as required for all personnel, LT. Gold with black background.

STOCK SIZES:

Shirts must be available in the following sizes:
Bust sizes: 28-52

Long Sleeve Lengths:

28, 30	Regular = 30"	
32, 34	Regular = 30"	Long = 31"
36, 38	Regular = 31"	Long = 32"
40, 42	Regular = 32"	Long = 33"
44, 46	Regular = 33"	Long = 34"
48 & Up	Regular = 34"	Long = 35"

Bid Price: _____ Equivalent Proposal: _____

WOMEN'S CLASS A SHORT SLEEVE SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 155R84Z 10

FABRIC:

Content:

Stock Dyed 75% Dacron Polyester / 25% Wool with Natural Stretch

Weight:

9.0 to 9.50 oz. / linear yard

COLOR:


Black

STYLE:

To be Flying Cross Model 155R8410Z. Dress style, top center placket front with zipper, full cut tapered fit, convertible collar, short sleeves, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Exterior badge holder with metal eyelets. Matching inside yoke and banana band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR:

Convertible collar shall be one piece. Collar points to measure 2 7/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 1/2" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar topstitched 1/4" off the edge. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

Each front shall have a facing approximately 3" in width. The right front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 6 buttons and buttonholes on the front; spacing between each will be 3-1/2" except the spacing between the neck button and the first button on the front, which will be 2-1/2". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. An 11-1/2" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the left front, the balance to be sewn over the buttonholes on the right front.




SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to be interlined with #250 Dacron. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.




BADGE REINFORCEMENT

Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.



POCKETS:

FEMALE POCKET




Two breast patch pockets with mitered corners and 1-1/4" stitched pleats. Pleats shall be stitched top and bottom and length of pleat to prevent spreading. Pocket to measure 5" full 5 " deep. Each pocket to have hook Velcro, 3/4" long by ½" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.

FLAPS:

Two piece deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/4". (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

FLAP



SLEEVES:

Sleeves are to be straight and whole and to have a ¾" hem and to finish at a minimum of 8 ½" long from shoulder seam.

BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps and pocket flaps to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, pocket flaps, straps, and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps, and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

EMBLEMS: There shall be 2 emblems applied to each shoulder placed ½" down from shoulder seam.

METAL BUTTONS: All shirts shall have NJ State seal metal buttons applied; silver for patrol, Gold for ranks of Sgt. and above. Lieutenant, Captain and Chief to have rank insignia sewn on epaulet, Lt. Gold on black background.

STOCK SIZES:

Shirts must be available in the following sizes:
Bust sizes: 28-52

Bid Price: _____ Equivalent Proposal: _____

WOMEN'S CLASS A TROUSER SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 47280W 10

FABRIC: Raeford 05329-0SS-2851


Content: 75% Polyester/25% Wool

Weight: 12 oz. per linear yard

Weave: Serge

Color: (10) Black

STYLE:




Garment shall be manufactured from an up-to-date women's ProX pattern for comfort and easier sizing. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.


FREEDOM-FLEX WAISTBAND SYSTEM:



Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a ¾-inch wide side belt loop positioned to 'hide" the expansion split of the waistband.

The waistband curtain shall consist of two

different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of ½" wide rubberized surface area shall be cause for rejection.)



The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch


Contents: 59% Polyester/41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)


The waistband closure shall be accomplished with one crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.

BELT LOOPS:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.



FLY:



Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.


SEAT:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

POCKETS:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 4-1/2" measured from the bottom of the opening. Front pockets to have firm straight bartacks at bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4 " measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be




approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

STITCHING, PRESSING & FINISHING:



Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.

HEMMING: All trousers shall be hemmed for each officer

STOCK SIZES:

Trouser must be available from stock in the following sizes:

SHORT RISE: 4 - 14 (EVEN ONLY)

REGULAR RISE: 2 - 26 (EVEN ONLY)

Bid Price: _____ Equivalent Proposal: _____

LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

Bid Price: _____ Equivalent Proposal: _____

Motor Breeches:

511 breeches style number 74407 or equivalent

Bid Price: _____ Equivalent Proposal: _____

Utility Uniform Class C:

Long Sleeve Shirt: 511 model 72175 black in color or equivalent. Patches are to be sewn on both sides of shirt. Badge tab and Epaulettes to be sewn on. Black military name strip to be sewn over right pocket. Lt. Gold stitching embroidered matching current color and style. Or equivalent

Bid Price: _____ Equivalent Proposal: _____

Short Sleeve Shirt: 511 model 71175 black in color or equivalent. Patches are to be sewn on both sides of shirt. Badge holder and Epaulettes to be sewn on Black military name strip to be sewn over right pocket. Lt. Gold stitching embroidered matching current color and style. Or equivalent

Bid Price: _____ Equivalent Proposal: _____

Pants: 511 model 74369 black in color or equivalent

Bid Price: _____ Equivalent Proposal: _____

Tru Spec**:** Rip stop 24-7 series Khaki in color or equivalent

Bid Price: _____ Equivalent Proposal: _____

Shorts: Tru Spec model 4231 black or equivalent

Bid Price: _____ Equivalent Proposal: _____

Dress Blouse:

Material: Black 605 poly/wool elastique.
Style: Notch lapel, 4 button front patch, pleated chest & hip pockets with scalloped flaps.
Hooks: Front and back only
Vent: yes
Epaulets: No trim.
Sleeve Trim: "V" cuff like NJSP no trim.
Collar: Notch lapel.
Buttons: Silver and brass with NJ seal.
Badge tab: yes

Bid Price: _____ Equivalent Proposal: _____

Dress Hat

Pershing style black with silver or brass buttons

Crushed Pershing style hat for motor unit.

Bid Price: _____ Equivalent Proposal: _____

Knit Hat

Black with LBTPD embroidered in gold.

Bid Price: _____ Equivalent Proposal: _____

Turtleneck Shirt:

Blaurer style #8100 or equivalent. Black with LBTPD in gold stitching matching current color and style on left of shirt neck.

Bid Price: _____ Equivalent Proposal: _____

Sweater:

Crewneck black cobmex 8083 with department patches on both sleeves badge tab sewn on and name strip in Lt. gold sewn on.

Bid Price: _____ Equivalent Proposal: _____

Ties:

Samuel Broom #455B03 BH black or equivalent.

Bid Price: _____ Equivalent Proposal: _____

Whistle:

Metal gold or silver in color.

Bid Price: _____

Whistle lanyard:

Metal gold or silver in color

Bid Price: _____

Duty Jacket:

Elbeco SH3200 in black with Dept. patches on both sleeves and badge tab sewn on

Bid Price: _____ Equivalent Proposal: _____

Elbeco SH3500 soft shell liner in black with Dept. patches on both sleeves and badge tab sewn on

Bid Price: _____ Equivalent Proposal: _____

Rain Pants/Jacket:

Pants: 511 model 48057 Patrol Rain pant Black (019) or equivalent

Bid Price: _____ Equivalent Proposal: _____

Jacket: 511 model 48098 Tac Dry Rain Shell Black (019) Police screened on back panel. Patch sewn on left chest panel and name sewn on right chest panel or equivalent.

Bid Price: _____ Equivalent Proposal: _____

Long Jacket: Blaur model 733 Reversible or equivalent

Bid Price: _____ Equivalent Proposal: _____

Short Jacket: Blaur model 233 Reversible or equivalent

Bid Price: _____ Equivalent Proposal: _____

Motorcycle Jacket:

Taylor model 4473Z Pittsburgh Cowhide Jacket. Black with no patches and no keeper loops. No substitutions.

Bid Price: _____

Shoes:

Bates -83 Buckle Chukka Leather No substitutions

Bid Price: _____

Bates-22233 Black Leather Oxford

Bid Price: _____ Equivalent Proposal: _____

Danner Striker Bolt 8" Style #26633 No substitutions

Bid Price: _____

Chip-27950 17" polishable trooper boot No substitutions.

Bid Price: _____

Duty Belt:

Don Hume B101BW 2 ¼ inch black basket weave design with 2 ¼ inch chrome or brass buckle. No substitutions.

Bid Price: _____

Shoulder Strap:

Don Hume S110BW basket weave design. No substitutions.

Bid Price: _____

Class C Belt:

511 Sierra Bravo Black

Bid Price: _____ Equivalent Proposal: _____

Mace Holder:

Don Hume C309BW basket weave design with hidden snap for MK-3 style spray No substitutions.
Bid Price: _____

DeSantis M8002 Black nylon for MK-3 size spray
Bid Price: _____

Magazine Holder:

Don Hume DONH-D407BW black cowhide basket weave design with two magazine compartments and hidden snap No substitutions.

Bid Price: _____

Handcuff Case:

Don Hume C303 black basket weave design with hidden snap No Substitutions

Bid Price: _____

DeSantis black nylon to fit Peerless Hinged Handcuffs Model 801

Bid Price: _____

Knife Holder: Dun Hume model D407-1BW leather holder in basket weave.

Bid Price: _____

Recruit Uniform Package

Khaki Pants with sewn increases.

Bid Price: _____ Equivalent Proposal: _____

Khaki Long Sleeve Shirt with Dept. patch right shoulder OCPA patch left shoulder.

Bid Price: _____ Equivalent Proposal: _____

Jacket: Tru-Spec H20 Proof Gen 2 Parka #2434

Bid Price: _____ Equivalent Proposal: _____

Tru-Spec Polar Fleece Jacket #2434

Bid Price: _____ Equivalent Proposal: _____

Propper 3 in 1 Hardshell Parka Black #F5436

Bid Price: _____ Equivalent Proposal: _____

Rain Pant: Tru-Spec H20 Proof ECWCS #2046

Bid Price: _____ Equivalent Proposal: _____

Propper PackableWaterproof Pant,Black #F5239

Gym Shorts Navy

Bid Price: _____ Equivalent Proposal: _____

Heat Transfer of last name on rear of shorts 2" gold letters

Bid Price: _____ Equivalent Proposal: _____

Winter Cap- Black Outer Limits- or equivalent

Bid Price: _____ Equivalent Proposal: _____

Name Plate- silver chrome plated clutch back 2 3/8 x ½.

Bid Price: _____ Equivalent Proposal: _____

Tie bar silver in color

Bid Price: _____ Equivalent Proposal: _____

Shoes Leather Oxford Style

Bid Price: _____ Equivalent Proposal: _____

BDU pant black rip stop.

Bid Price: _____ Equivalent Proposal: _____

Baseball cap

Bid Price: _____ Equivalent Proposal: _____

Kiwi shoeshine kit

Bid Price: _____ Equivalent Proposal: _____

Sweatpants Jerzees fleece navy blue or equivalent

Bid Price: _____ Equivalent Proposal: _____

Heat Transfer of last name on back of pants 2" gold letters

Bid Price: _____ Equivalent Proposal: _____

Sweatshirt- Jerzees Navy Blue or equivalent**.**

Bid Price: _____ Equivalent Proposal: _____

Tee Shirts Haines Beefy T or equivalent

Bid Price: _____ Equivalent Proposal: _____

Heat Transfer of last name on front and back of shirts 2" gold letters

Bid Price: _____ Equivalent Proposal: _____


Clip On Tie black

Bid Price: _____ Equivalent Proposal: _____

Belt 1 ½ in black with plain silver buckle

Bid Price: _____ Equivalent Proposal: _____

First Tactical 111015 Mens V2 Pro Performance Shirt LS:



Specifications:

65/35 polyester/cotton blend with ARMS Technology
4.1 OZ 2-way mechanical stretch woven with 2mm x 2mm double micro ripstop
Teflon® stain repellent finish
Double Dye fabric for superior 50 color fastness
100% Polyester anti-snag jersey body with wicking + anti-odor finish
230 gsm full dull knit jersey
Melamine buttons

Components:


Woven fabric on sleeves, collar, placket and yoke
Knit fabric front / back of body and running gusset
Full running gusseted construction under the arm
Wicking knit fabric under arm for better breathability
Split yoke construction for lateral shoulder stretch
Full frontal polyester panel for seamless comfort
2 button + lower hook/loop placket closure to relieve hot spots under body armor
No curl collar with integrated collar stay
Hidden button down collar
Mic loop on lower front placket
1" drop on shirt back
Straight side hem to keep shirt close to body to stay tucked in
Adjustable cuff closure
Button placket closure on sleeve to allow for double cuff roll
ID write bar inside
Internal locker loop
Replacement button set
Epaulettes package included

Sizes:

Size: XS - 4XL
Lengths: Regular and Tal

Bid Price: _____ Equivalent Proposal: _____

First Tactical 114038 Mens A2 Pant



Specifications:

- 67% / 33% Polyester (with Sorona) / Cotton
- 6.5 oz. Fabric Weight
- 2-Way Mechanical Stretch
- Micro Canvas Fabric Weave
- DWR Coating
- Double Dyed color fastness (for 50+ washes)
- YKK Zipper
- Prym Snap
- Melamine Button
- Duraflex Hardware

Sizes:

- Size: 28-54
- Lengths: 30-36, UH

Colors:

- 019 - Black
- 729 - Midnight Navy
- 181 - Coyote Brown
- 036 - Wolf
- 055 - Khaki
- 830 - OD Green

Components:

- Seamless pant front pattern for professional look and appearance
- Button waist stay
- 7 fused belt loops with 4 bartacks each
- 2 rear back-welt pockets
- 2 exterior magazine / phone pockets
- Hand pockets reinforced with Cordura® nylon
- 6 pocket vents constructed with mesh panels for ventilation
- Clip garage opening at bottom of hand pocket opening
- Zipper cargo pocket with TPU over molded zipper pulls
- Pocket bag cargo pocket construction
- 2 tandem magazine / utility pockets inside the cargo pocket
- Articulation at back of knee
- Seamless pant front pattern for professional creasing
- Wide running gusset extends from knee to knee
- Triple stitched on all main seams
- Top set logo for easy removal
- Inner ID heat transfer label
- 4 lanyard loops in cargo and hand pockets

Bid Price: _____ Equivalent Proposal: _____

First Tactical PRO PERFORMANCE POLO:



112509 Men's Performance SS Polo-111503 Men's Performance LS Polo-112509 Women's Performance SS Polo- 121503 Women's Performance LS Polo

Polo features a lightweight, breathable perforated fabric that is moisture-wicking and anti-microbial, making it the ideal shirt for tactical training

Specs: No Curl Collar with integrated collar stays

Smooth, flattering long body

Pen Pocket

Mic/camera loops

Side Running Gussets for max movement


100% Polyester, fade, shrink, snag and wrinkle resistant with a moisture wicking finish

Indestructible melamine buttons

Color: Black

Bid Price: _____ Equivalent Proposal: _____

First Tactical 111018 Men's Pro Duty Softshell Pullover



Specifications:

- Body 85% Nylon - 15% Spandex four way stretch softshell
- Water and wind resistant
- YKK® zippers
- Duraflex® hardware

Components:

- Soft brushed fleece insulated arm, shoulder and collar
- Non-insulated body
- Fade, shrink and wrinkle resistant
- High raglan sleeve construction
- Split yoke
- Running side gusset for maximum movement
- 1/4 zip front placket
- Longer body length without bottom slit stays tucked in
- adjustable hook and Loop cuff closure
- Bartacks at all stress points
- Internal locker loop and ID write bar inside
- Fold down collar
- 1" drop on shirt back
- Straight hem
- Internal locker loop
- Embroidered logo
- Zip thru front neckline

Sizes:

- Size: S - 4XL
- Lengths: Regular

Colors:

- 019 - Black
- 729 - Midnight Navy
- 830 - OD Green

First Tactical 118502 Men's Tactix System Jacket



Specifications:

Body Waterproof breathable fully seam sealed shell
with zip out fully fuctional softshell jacket
Shell: 100% Nylon waterproof/breathable, fully taped
YKK® zippers
Prym® snaps and rivets
Duraflex® hardware

Sizes:

Size: S-4XL

Colors:


019 - Black
729 - Midnight Navy
820 - OD Green

Components:

Fully functional hood – detaches and stows into back pocket
FT Rain Gutter Design™ keeps water from dripping on face
Internal memory wire hood, molds to shape
Triple adjustment hood; peripheral, height, and around face
Dual closing front, snap Storm fl ap, snaps over two way front zipper
Running gusset under arm for maximum movement –
Easy access zippered side arm accessibility, doubles as a pit zip for additional ventilation
Two vertical zip secure front chest pockets
Easy access pen pocket located at front chest
Horizontal zip chest pockets discreetly stow pull-out panels that can be easily embellished
Dual zipper action lower hand warmer pockets; easy access top loading drop in pocket
Horizontal zip back panel, discreetly stows larger pull-out panel that can be easily embellished
Mic loops are integrated into the design easily accessible at the yoke and front placket
Inside zip secure chest pocket with media port access
Back zippered lumbar pocket can stow hood when not in use
Adjustable cinch waist , Articulated elbow with adjustable cuff closure
Internal locker loop and ID write bar inside
Bartacks at all stress points

Bid Price: _____ Equivalent Proposal: _____

First Tactical 112012 Mens V2 Pro Performance Shirt SS:



Specifications:

- 65/35 polyester/cotton blend with ARMS Technology
- 4.1 OZ 2-way mechanical stretch woven with 2mm x 2mm double ripstop
- Teflon® stain repellent finish
- Double Dye fabric for superior 50 color fastness
- 100% Polyester anti-snag jersey body with wicking + anti-odor finish
- 230 gsm full dull knit jersey
- Melamine buttons

Components:

- Woven fabric on sleeves, collar, placket and yoke
- Knit fabric front / back of body and running gusset
- Full running gusseted construction under the arm
- Wicking knit fabric under arm for better breathability
- Split yoke construction for lateral shoulder stretch
- Full frontal polyester panel for seamless comfort
- 2 button + lower hook/loop placket closure to relieve hot spots under body armor
- No curl collar with integrated collar stay
- Hidden button down collar
- Mic loop on lower front placket
- 1" drop on shirt back
- Straight side hem to keep shirt close to body to stay tucked in
- ID write bar inside
- Internal locker loop
- Replacement button set
- Epaulettes package included

Sizes:

- Size: XS - 4XL
- Lengths: Regular and Tall

Bid Price: _____ Equivalent Proposal: _____

Uniform Equipment:

Baton: Monadnok model 9152 22in auto lock expandable baton with super grip and power safety tip.

Bid Price: _____ Equivalent Proposal: _____

Baton Holder: Monadnok model 3634 front draw baton holder for the 22in auto lock baton in basket weave.

Bid Price: _____ Equivalent Proposal: _____

Handcuffs: Peerless model 4801 Nickel Hinged Cuffs

Bid Price: _____ Equivalent Proposal: _____

Hand Cuff Keys: Peerless model # 4100 standard key

Bid Price: _____ Equivalent Proposal: _____

Knife: Premier Model PK3339J with New Jersey Seal

Bid Price: _____ Equivalent Proposal: _____

Pepper Spray: Def-Tec model 5039 MK-3

Bid Price: _____ Equivalent Proposal: _____

Alterations and Embroidery:

Patches: Of the style worn by the department exactly the same in dimension and size.

Bid Price: _____ Equivalent Proposal: _____

Insignias: Not to exceed certain price. Sgt. Stripes, Capt. Bars, Etc.

Bid Price: _____ Equivalent Proposal: _____

Name Tags: gold in color.

Bid Price: _____ Equivalent Proposal: _____

Hash Marks:

Bid Price: _____ Equivalent Proposal: _____

Alterations: Not to exceed certain price. (Alterations must be completed within 3 business days)

Sew on new insignia and remove old insignia.

Bid Price: _____ Equivalent Proposal: _____

Alterations to shirts

Bid Price: _____ Equivalent Proposal: _____

Alterations to pants

Bid Price: _____ Equivalent Proposal: _____

Alteration to dress blouse

Bid Price: _____ Equivalent Proposal: _____

Blauer Metro FLEXRS Cargo Pant: Style # 8613T/8613TW

- Material: 100% polyester ripstop (6.6 oz) featuring mechanical stretch.
- Coating: Durable water repellent (DWR) / Teflon water-repellent finish.
- Waistband: Self-adjusting TunnelFlex™ stretch waistband for custom comfort.
- Pockets:
    - 2 regular side pockets
    - 2 hip pockets designed to hold a standard citation book
    - 2 easy-access angled cargo pockets
    - 2 front cut-in pockets
- Rise & Inseam: 9.5-inch front rise with a 38-inch unhemmed regular length (long options also available)
- Sizes 28-54 Men, Women 0-24
- Color: Black

Bid Price: _____Equivalent Proposal: _____

Blauer Performance Polo Short Sleeve Style # 8126/8126W

Blauer Performance Polo: Lightweight, moisture-wicking tactical shirt

- Material: 85.5% Polyester, 14.5% Spandex (4-way stretch, fade- and snag-resistant)
- Moisture Management: Wicking mesh material releases heat and body vapor for quick drying
- Odor Protection: Built-in anti-odor treatment breaks down odor-causing bacteria
- Design & Layout:
    - Professional self-fabric collar
    - Double pen pocket
    - Split tail design to stay tucked in
    - Centered mic tab
- Length: 30.5" center back (Men's Size Medium Regular)
- Colors Available: Black,
- Sizes Available: XS through 6XL (with Regular and Tall length)

Bid Price: _____Equivalent Proposal: _____

Blauer Long Sleeve Polo: Style # 8127/8127W

Long Sleeve Polo: Lightweight tactical uniform shirt

- Material Composition: 85.5% Polyester, 14.5% Spandex
- Fabric Technology: 4-way stretch fabric that is fade-resistant, snag-resistant, and naturally porous for increased airflow and body vapor release.
- Moisture & Odor Management: Built-in moisture-wicking mesh material releases heat and sweat; anti-odor treatment breaks down the growth of odor-causing bacteria.
- Design & Storage:
    - Professional self-fabric collar
    - Double pen pocket
    - Centered mic tab
    - Split-tail design to stay tucked in during active shifts
- Sizes Available: XS through 6XL (with Regular and Tall length)
- Color: Black

Bid Price: _____ Equivalent Proposal: _____

Blauer FlexRS Long sleeve Armor Skin Base Shirt Style # 8361/8361W

Tactical duty base layer shirt designed to pair with external body armor carriers

- Material & Shell: 100% polyester ripstop (6.6 oz) with mechanical stretch for the upper/sleeve portion.
- Side Panels & Mesh: 92% nylon, 8% spandex abrasion-resistant anti-odor mesh from the chest down for high breathability.
- Coatings & Protection:
    - Durable Water Repellent (DWR) finish to repel light liquids.
    - Built-in anti-odor technology to stop odor-causing bacteria.
    - UPF 30 UV protection.
- Design & Appearance: Looks like a standard uniform shirt on top (sleeves/collar) when worn under an outer vest carrier, while performing like a rugged BDU underneath.
- Storage: Double pen pocket on the chest.
- Sizes: XS through 6XL.
- Sleeve/Body Length Options: 31", 33", 35", 37", and 39" lengths
- Color: black

Bid Price: _____ Equivalent Proposal: _____

Blauer FlexRS Short Sleeve Armor Skin Base Shirt Style # 8362/8362W

- Product Type: Short Sleeve ArmorSkin Base Shirt (Outer Carrier Undershirt)
- Material & Construction:
    - Shell / Upper / Sleeves: 100% Polyester Ripstop (6.6 oz) with mechanical stretch.
    - Mesh Side Panels & Body (from chest down): Abrasion-resistant, anti-odor mesh (92% Nylon, 8% Spandex in panels; 100% Polyester satin/mesh lining) for breathability under a vest carrier.
    - Finish: Waterproof Durable Water Repellent (DWR) coating.
    - UV Protection: UPF 30.
- Performance Technologies:
    - Moisture Management: Wicks sweat away from the skin for quick-drying performance.
    - Odor Control: Built-in anti-odor treatment to prevent bacterial growth.
    - Mechanical Stretch: Controlled flexibility for a full range of motion.
- Design & Pockets:
    - Designed to look like a standard, clean patrol/uniform shirt when paired with an ArmorSkin outer carrier.
    - Double pen/pencil pocket on the left chest.
- Available Sizes & Lengths:
    - Men's Sizes: XS to 5XL (with Regular and Tall length options).
    - Women's Sizes: XS-XXXL
- Available Colors: Black

Bid Price: _____Equivalent Proposal: _____

Blauer Long Sleeve Polyester SuperShirt Style: 8670,8670W

- Body Material: 100% washable fade-resistant polyester (tropical weight weave) with 10% stretch and a liquid-repellent finish.
- Side Panels & Mesh: Abrasion-resistant, stretch nylon/Lycra performance mesh (92% nylon, 8% Lycra) for breathability, heat release, and a custom tapered fit.
- Moisture & Odor Control: Built-in moisture wicking, odor-control technology to stop bacteria growth, and UPF 30 ultraviolet protection.
- Closure & Front: Zippered front placket with mock buttons for a clean, traditional look and fast changes.
- Collar & Cuffs: Convertible sport collar (or banded dress collar style) and traditional 2-button adjustable cuffs.

Design & Tactical Features

- Pockets: Dual pleated patch breast pockets with hook-and-loop flaps, a pencil slot on the left, and hidden vertical Napoleon-style compartments for glasses or documents.
- Visibility: 360-degree adaptive nighttime visibility via deployable reflective trim hidden inside the cuffs, under the rear collar, and on pocket panels.
- Uniform Details: Traditional 5-crease military style (stitched), reinforced epaulets, and a badge tab with an internal support strap
- Available Colors: Black
- Size 30-50, 14-25, Length 31-39

Bid Price: _____Equivalent Proposal: _____

Blauer Classact Single Breasted Dress Coat: Style: 8690/8690W

- Material: Durable 100% polyester with built-in moisture management release and UPF 30 UV protection.
- Interior: Fully-lined taffeta interior with a hidden internal breast pocket.
- Design & Styling:
    - Single-breasted, 4-button front styling with a notched lapel.
    - Thin shoulder and armhole padding for a sharp, defined appearance.
    - Front badge tab.
    - Reinforced epaulets with box and X-stitching at the shoulders.
    - Upper and lower scalloped pocket flaps (plus 2 chest pockets and 2 western-style pocket flaps).

- Tactical / Functional Features: Hidden zippered side openings for easy equipment or weapon access and display.
- Color: Black
- Sizes 32-60 Men, Women 2-26
- Short-Tall Length

Bid Price: _____Equivalent Proposal: _____

Blauer ClassAct Dress Pants Style : 8585/8585W

- Fabric Composition: 55% Polyester / 45% Wool blend in a serge weave.
- Breathability & Moisture Management: The material is naturally porous, optimizing airflow and body vapor release to prevent overheating.
- UV Protection: Rated at UPF 30 protection
- (2) Front Quarter-Style Pockets with Bartack Reinforcement, (2) Rear Besom-Type Hip Pockets with Bartack Reinforcement
- Color Black
- Waist: Men 27-54 Length 37”-39.5”, Women Size 0-26

Bid Price: _____Equivalent Proposal: _____

Blauer Armorskin Base Jacket Style: 9880

- Material: Shell: 100% Nylon Ripstop, Lining: 100% Nylon with Polyester Fill
- Waterproof: Durable Water Resistant Finish Repels Liquids
- Warmth: Light Protection from the Cold - Amp Up your Heat Factor by Layering
- Moisture Management: Absorbs and Wicks Moisture Away from Skin for Quick Drying
- UV Protection: UPF 30
- Pockets: 2 handwarmer pockets, 2 ventilating pit zippers, pen pocket, mic tab
- Insulated collar with YKK zippers
- Deployable reflective material on collar and cuffs
- Ventilating arm pit zippers
- Length: 25.5" Back Length (Size M, Reg Length).
- Color: black
- Size xs-6xl

Bid Price: _____Equivalent Proposal: _____

Danner Scorch Side-Zip Boot Style #: 25733

Weight	45 oz per pair
Height	8"
Color	Black
Insulation	Non-Insulated
Closure	Zip-Up
Protection	Body Fluid Borne Pathogen Resistant
Safety Standard	ASTM F1671-24
Toe Protection	Plain Toe, Polished
Manufacturing	Imported
Liner	Danner® Dry
Waterproofing	Waterproof
Shank	Nylon
Footbed	OrthoLite
Outsole	Danner® Scorch

Bid Price: _____Equivalent Proposal: _____

G200 Gildan 2000 T-Shirt Ultra Cotton or equivalent

- *6.0 oz., pre-shrunk 100% cotton*
- *90/10 cotton/polyester.*
- *Double-needle stitched neckline, bottom hem and sleeves*
- *Quarter-turned*
- *Taped neck and shoulders*
- *Seamless seven-eighths inch collar*
- *Tearaway Label*
- *Multiple Colors*
- *1Color Screen Print on left chest and back (Black or White)*
- *Variety of sizes: Small -XXXL*

Bid Price: _____Equivalent Proposal: _____

Ultra Cotton® Long Sleeve T-Shirt - Gildan 2400

- *6 oz./yd² (US) 10.1 oz./L yd (CA), 100% cotton, 18 singles*
- *Dark Heather & Safety Colors are 50/50 cotton/polyester*
- *Classic fit*
- *Classic width, rib collar*
- *Taped neck and shoulders for comfort and durability*
- *Rib cuffs*
- *Tear away label*
- *Various Colors*
- *1 Color Screen Print on left chest and back (Black or White)*
- *Variety of sizes: Small -XXXL*

Bid Price: _____ Equivalent Proposal_____

Weatherproof 7700 Cross Weave Hooded Sweatshirt

- *11.0 oz., 80/20 cotton/polyester*
- *Cross Weave construction with durable side gussets*
- *Double-layer hood with matching drawcord*
- *Front pouch pocket*
- *Various Colors*
- *1 Color Screen Print on left chest and back (Black or White)*
- *Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.*
- *Variety of sizes: Small -XXXL*

Bid Price Screen Print: _____Equivalent Proposal: _____

Bid Price Embroidery: _____Equivalent Proposal: _____

Jerzees Adult Super Sweats® NuBlend® Fleece Pocketed Sweatpant

- 9.5 oz., 50% cotton, 50% polyester Oxford is 49% cotton, 51% polyester
- NuBlend pill-resistant fleece
- High-stitch density for a smooth printing canvas
- Three-needle covered elastic waistband with inside drawcord
- Side-entry jersey-lined pockets Differential rise for better fit
- Elastic bottom leg openings
- *1 Color Screen Print on left chest and back (Black or White)*
- *Variety of sizes: Small -XXXL*

Bid Price: _____Equivalent Proposal: _____

Harriton Adult Quarter-Zip Fleece Pullover

- Dyed-to-match zippers and zipper pull
- Bottom hem with drawcord and toggles
- On-seam pockets
- Front yoke
- Non-roll elastic cuffs
- 100% spun soft polyester fleece with non-pill finish on surface, 270gsm Midweight fleece – highly breathable
- *Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.*

Bid Price: _____Equivalent Proposal: _____

JERZEES - Nublend® Cadet Collar Quarter-Zip Sweatshirt

- 8 oz./yd², 13.36 oz L yd (CA), 50/50 cotton/polyester
- Oxford is 48/52 cotton/polyester
- Pre-shrunk
- Nublend® pill-resistant fleece
- High stitch density for a smooth printing canvas
- Concealed 7" aluminum zipper
- Double-needle coverstitched armholes and waistband
- Seamless body with set-in sleeves
- 1x1 ribbed cuffs and waistband with spandex
- Quarter-turned
- *Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.*

Bid Price: _____Equivalent Proposal: _____

Cuffed Winter Beanie Style# 1501 or equivalent

- *Classic knit beanie with dense weaving for easy embroidery.*
- *Classic Knit. Esteemed since 1974*
- *Super dense knit for easy embroidery*
- *100% Hypoallergenic Acrylic*
- *Logo embroidery*

Bid Price: _____ Equivalent Proposal: _____

Richardson Styke #112 Adjustable Snapback Trucker Cap or equivalent

- *60% Cotton, 40% Polyester*
- *100% polyester mesh back*
- *Structured, mid-profile, six-panel*
- *Pre-curved contrast stitched visor*
- *Snapback closure*
- *Various Colors*
- *Logo Embroidered on Front*

Bid Price: _____ Equivalent Proposal: _____

Alboum Sheriff Felt 3x Hat or equivalent

- Wide oval
- Badge Hole
- 3 Piece Black Leather Strap w/ hardware
- Black
- Matching Brim and Binding
- Clear Sheriff Hat Rain Cover

Bid Price: _____ Equivalent Proposal: _____

Exception to Bid:

_____

_____

_____

_____

BID INTENT AND ADDITIONAL TERMS

1. It is the intention of the Township to solicit bids and award a contract on behalf of the police officers of the Township by assisting them in acquiring such items in an economical and efficient manner. It is in the interest of uniformity, consistency, and appearance that these bids will be awarded.

2. Vendor's location shall be within a fifty five (55) mile radius of the Police Department location (6805 Long Beach Blvd, Brant Beach, NJ, 08008) to enable any police officer to obtain assistance/measurements with any item listed.

3. The bidder shall make arrangements to take the measurements of all members of the Police Department within two weeks after being awarded the bid. The bidder shall be required to take orders at the Township Headquarters once a month. Deliveries to be made within thirty (30) days of placement of order. All deliveries are to be F.O.B. Township of Long Beach. All items are to be delivered to the following address: Township of Long Beach, Police Department, 6805 Long Beach Blvd, Brant Beach, NJ 08008.

4. **Delivery Requirements as follows**:

   - All equipment listed in the bid specifications to be delivered to the Township within Thirty (30) business days after receipt of order (A.R.O.). If this delivery stipulation cannot be met, it must be noted on the Exception Sheet. Delivery charges must be included in the bid price.

   - Non-Customized items listed in the bid specifications to be delivered to the Township within Thirty (30) business days after receipt of order (A.R.O.). If this delivery stipulation cannot be met, it must be noted on the Exception Sheet. Delivery charges must be included in the bid price.

   - Customized items listed in the bid specifications to be delivered to the Township within Thirty (30) business days after receipt of order (A.R.O.). If this delivery stipulation cannot be met, it must be noted on the Exception Sheet. Delivery charges must be included in the bid price.

5. FAILURE TO DELIVER

   Should the contractor fail to deliver the uniform/equipment as required, the Township may, after giving twenty-four hours' notice to the contractor, purchase in the open market uniform/equipment still due on the order/contract. If such a purchase shall involve the cost to the Township greater than what had been incurred by fulfillment of the contract, the excess cost shall be charged to the contractor and shall be deducted from any monies withheld under the contract, if these are sufficient, or otherwise any deficiencies shall constitute a claim by the Township for reimbursement from the contractor. All orders must

be placed by purchase order. The Township will not accept responsibility for any phone orders.

- Delivered price FOB destination. No additional charges for any reason will be accepted.
- Prices quoted must include delivery to Long Beach Township Police Department office located at 6805 Long Beach Blvd. Brant Bach, NJ 08008.
- Delivery 7-10 Days from the date of order.
- Sales to co-op participants are exempt from taxation either state or municipal and from federal taxation, including excise tax.
- Where a bidder submits an equivalent or exception, it shall be the responsibility of the bidder to document the equivalence or exception claim. If the Township determines that the exception is not equivalent, the Township may reject the bid regardless of whether it is the lowest price.
- If a vendor is submitting an equivalent item as listed, a sample of the equivalent item must be included with the submitted bid packet.
- Prices quoted must include all artwork and screen charges
- Embroidery: Embroidery: embroidered on the left chest with the Long Beach Township Police Department logo. A sample of the 15,277-stitch logo must be provided to LBTPD for approval prior to printing the shirts. Thread colors vary on the logo depending on the color of the garment.
- *Submit bid as unit price with all costs included for each numbered item.
- All samples will be returned to the vendor.
- Failure to submit such documentation shall be grounds for rejection of the claim of equivalence.

6. All bids shall be placed on letterhead of the prospective bidder and signed by same. Bids shall be enclosed in a sealed envelope bearing the name of the bidder and the name of the item or items which the bid covers and shall be addressed to the Purchasing Agent of Long Beach Township. No responsibility shall be assumed by the Township for any bids mailed to the Purchasing agent which are not received before said time. No bid shall be received after the said time and place.

7. Pursuant to N.J.S.A 40A11-15(32), the contract period to be covered by this bid is January 1, 2027, through December 31, 2028.

8. THE TOWNSHIP WILL NOT ACCEPT MINIMUM ORDER REQUIREMENTS

9. The undersigned, as bidder, will provide all the goods and/or services called for by the Contract Documents in the manner prescribed therein for the purchase of Police Uniforms.

10. In submitting this Bid, the Bidder understands that the right is reserved by the Township to reject any and all bids for just cause. If written notice of the acceptance of this Bid is mailed, telefaxed, or delivered to the undersigned within sixty (60) days after the opening thereof, the bidder agrees to execute and deliver an agreement in the prescribed form within ten (10) days of receipt of the Agreement.

BID RESPONSE SHEET

I, _____ as a duly authorized representative of _____ have fully read, understood and recognized the requirements of this bid. I have enclosed complete copies of this specification, having been filled out in good faith and to the best of my knowledge for the item(s) being bid.

Company: _____

Name of Bidder: _____

Signature Authorized Agent: _____

Address:

_____

State: _____ Zip: _____

Contact phone #: _____

Email:_____

Date: _____